	9		UT	AH OIL AND	GAS CONS	SERVATION C	OMMISSIO	N		m	
REMARKS:	WELL LOG	ELE	ECTRIC LOGS	X wat	ER SANDS_	LOCAT	ION INSPECTE	D	SUB. REF	ORT/abd.	<u> </u>
9212	03 Coor	s to El	vertson eff. 9-	1-92.							
7-13-94	EVERTS	ON YO	Petroglyph E	11 2-1-9	74						
960	207 #	6.1-4:									
				,				<u> </u>			
*K	ecom	ple tio	n 8-22-84	/ 							
DATE FILED		<u>5-9-83</u>							14-	20-H62.3	503
LAND: FEE & F	PATENTED	STATE (LEASE NO.		PU	BLIC LEASE NO.			IN	DIAN TL3503	-
DRILLING APPI	ROVED:	5-12-83	011/GAS	EXCEX	7101	LOCATION	I & IRME	GULAR S	SECTION		
SPUDDED IN:	ر ب	5-30-8									
COMPLETED:	8	8-83	POUT TO PRODUCING:	8.8.83	· 						
INITIAL PRODU	JCTION: SO	DOP	0 32 MCF	* 2	6 BC	PO. 9	4 ma	= '			
GRAVITY A.P.I.	35	-									
GOR:	400	* 3	3615								
PRODUCING Z	ONES: 5	122 -	66451 Los	wer A	een 1	River 1	CRRI	1) * 5	082-664	5 Green	River
TOTAL DEPTH		698'						<i>y</i> – –			
WELL ELEVATION	ON:	932								,	
DATE ABANDO	NED:										
FIELD:	<u> </u>	: An	telope creek								
UNIT:			_								
COUNTY:	Duches										
WELL NO.	Ute T	ribal 1	-4-04-01				API	#43-01	3-30762		
LOCATION	1331	F.	T. FROM (N) (S X LINE,	1277	F	T. FROM (E) (M/)	LINE.	NENE	1/4	- 1/4 SAC.	<u> </u>
											
TWP.	RGE.	SEC.	OPERATOR			TWP.	RGE.	SEC.	OPERATOR		

QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippian
Pleistocene	Colorado	Sinbad	Humbug
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibak	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaite Tongue	Ouray
Green River 1636	Frontier	Phosphoria	Elbert
Paracheticreek. 3020	Dakota	Park City	McCracken
Barden Gulch , 3760'	Burro Canyon	Rico (Goodridge)	Aneth
Upper Bouglas Creek 4800'	Cedar Mountain	Supai	Simonson Dolomite
	Buckhorn	Wolfcamp	Sevy Dolomite .
	JURASSIC	CARBON I FEROUS	North Point
Wasatch	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton	San Rafeal Gr.	Weber	ORDOVICIAN
Flagstaff	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akah	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		
· · · · · · · · · · · · · · · · · · ·	ACME VISIOLE CROZET	T VIRGINIA 100730	The second secon



May 6, 1983

State of Utah Oil, Gas & Mining Division 4241 State Office Bldg. Salt Lake City, Utah 84114

Attn: Mr. Norm Stout

Re: Application for Permit to Drill

Ute Tribal 1-4 Section 4, T5S-R3W Duchesne County, Utah

Dear Mr. Stout:

Attached please find three copies of the State APD for the above referenced well with one set of attachments including the following items

- 1. Designation of Operator
- 2. Federal APD
- 3. Special BOP instructions
- 4. Multipoint Surface Use Plan
- 5. Archaeological Survey
- 6. Certification by Operator's Field Representative
- 7. Notice from the Ute Energy & Minerals
- 8. Survey plat
- 9. Diagram-wellsite
- 10. Various topo maps showing existing roads, proposed wellsite, etc.
- 11. Water agreement

Please let us know if you have any questions regarding this Application.

Thank you very much.

Very truly yours,


R. L. Martin
Vice President

Oil & Gas Operations

RLM:kr Attachments

Kalen

DEPARTMENT OF NATURAL RESOURCES



	DIVISION OF OIL,	GAS, AND MINING			5. Lease Designation and Serial No.
					TL3503
APPLICATION	FOR PERMIT T	O DRILL DEEP	EN. OR PLUC	BACK	6. If Indian, Allottee or Tribe Name
la. Type of Work					Ute Tribal
	_ Z XX	DEEPEN [PLUG	BACK :	7. Unit Agreement Name
h. Type of Well					
Oil Well We	XX Other		Single XX Zone	Multiple Zone	S. Farm or Lease Name
2. Name of Operator				:	Ute_Tribal
Coors Energy Com	pany		(303) 278-	-7030	9. Well No.
3. Address of Operator					1-4
PO Box 467, Gold	/				10. Field and Pool, or Wildcat Nutter Canyon
4. Location of Well (Repor			e requirements.*)		<u> </u>
1331	'FNL, 1277'FEL,	Section 4			11. Sec., T., R., M., or Blk. and Survey or Area
At proposed prod. zone					Section 4, T5S-R3W
					12. County or Parrish 13. State
14. Distance in miles and	direction from nearest tow	n or post office		:	1. 2
6 miles south of		ah	No. of acres in lease	17 No.	Duchesne, Utah of acres assigned
15. Distance from proposed location to nearest		10. 1			is well
property or lease line. (Also to nearest drig. li			640	90 B	
18. Distance from proposed to nearest well, drilling	r. completed.	19. F	Proposed depth	20. Rota	ry or cable tools
or applied for, on this	lease, it. none		6340'		22. Approx. date work will start*
21. Elevations (Show wheth	er DF, RT, GR, etc.)		M		May-June, 1983
5932 GL					- Itay band, 2500
23.		PROPOSED CASING AN	D CEMENTING PROC	GRAM	
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		Quantity of Cement
12-1/4"	8-5/8"	24.00#	4001		400 sks.
7-7/8"	4-1/2"	11.60#	6340' TD		300 sks.
				:	
1. This well w	ill be spudded	in the Uintan F	ormation.	62001 TD	63/01 Wagatch
2. Estimated f	ormation tops:	Green Kiver 10	zon, wasaten	rmation a	s well as gas and or
3. Water zones	uifers or other	minoral zones	are anticinat	rmation a ed	s well as gas and or
Oll. No aq	a diagram of t	mineral zones	trol device t	o be used	on this well.
4. Attached is	d ofroulating m	ne pressure con adium will be 3	% KCT, water o	r a low-s	olids non-dispersed
5. The propose	eights in exces	s of $10#/gal$, a	re not antici	pated.	•
6. Auxiliary e	quipment: floa	t will be run i	n drill strin	g, a full	opening valve to fit
the drill s	tring will be o	n the rig floor	at all times	. Kelly	cock valves will be used.
7. No coring i	s planned, dril	l stem tests ma	y be run in p	otential	pay zones. Logs to be
run will be	: Dual Inducti	on Laterlog, Co	mpensated Neu	tron Form	ation Density Log.
8. No abnormal	temperature, p	ressures or pot	ential hazard	s are exp	ected.
9. Anticipated	starting date:	May-June, 198	Expected	duration	of drilling operations
is 30 days.					
IN ABOVE SPACE DESC ductive zone. If proposal preventer program, if any.	CRIBE PROPOSED PROGI	RAM: If proposal is to ditionally, give pertinent di	deepen or plug back, g ata on subsurface loca	tive data on pretions and meas	esent productive zone and proposed new pro ured and true vertical depths. Give blowou
24.					
Signed	nach.	Title O	il & Gas Oper	ations V.	P. Date 5-6-83
(This space for Federa	ITTIN				
into space for redera	. o. othe office use)				

Approved by Conditions of approval, if 9 1983 MAY DIV. OF OIL, GAS & MINIME Approval Date APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

7 5 S, R 3 W, U.S.B. & M.

N89º34'E 80 20 Lot 4 Lot 3 Lot / Lot 2 1277 UTE TRIBAL # 1-4 LO1 5 (Comp.) Elev. Ungraded Ground - 5932' Lot 6 Lot 8 LOT 7 Lot 12 Lot 11 LO1 10 Lot 9

X = Section Corners Located

79. 80

S89° 50'E

COORS ENERGY CO.

Well location, UTE TRIBAL #/-4, located as shown in Lot 8, Section 4, T5S, R3W, U.S.B. & M. Duchesne County, Utah.

EXHIBIT "A"

geng digitar yang digita di digitar pangang dalah dalah dalah dalah digitar digitar digitar digitar digitar da Tanggan digitar digitar




CERTIFICATE

THIS IS IT CERTIFY THAT THE ABOVE PLAY WAY PREPARED FROM FIELD NOTED OF ACTUAL SURVEYS MADE UP ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE THUE AND LURREDT TO THE BEST OF MY ENOWLEDGE AND BELIEF

> REGISTERED LAND SURVEYON REGISTRATION Nº 3137-STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING PO BOX Q — 65 SOUTH - 200 EAST VERNAL, UTAH - 84078

SCALE	" =	1000'		DATE	2/	7,	/ 8	3	
PARTY	D.B.	J.K.	S. B.	REFEI	RENC	ES O	Plo	1	
WEATHE	R Cold			FILE	co	OR	s	ENE	₹GY






Figure 5.- View cast of cross section of Uinta Basin showing stratigraphy and intertonguing of Tertiary rocks. Ute Tribal-1 (in section) is located ________ about 8 miles southeast of the application area.

Uinta formation BIRDS NEST AQUIFER HORSEBENCH SANDSTONE GREEN RIVER OIL SHALE ZONE DOUGLAS CREEK AQUIFER LIHESTONE & SANDSTONE

NO SCALE

CEMENT BASKET IS PLACED 50' ABOVE TOP AQUIFER CEMENT TO RISE AT LEAST 300' IN ANNULUS

STAGE COLLAR -CEMENT BASKET

CEMENT BASKET IS SET AT

CONSOLIDATED SECTION AT THE

BASE OF THE OIL SHALE ZONE.

CEMENT TO REACH THE TOP

OF THE MAHOGANY ZONE

OF LOWER AQUIFER

SUPERVISOR, OIL AND GAS OPERATIONS:

DESIGNATION OF OPERATOR

The undersigned is, on the records of the U.S. Department of the Interior, Bureau of Indian Affairs

DISTRICT LAND OFFICE: The Ute Indian Tribe and the Ute Distribution Corporation Lease No. 14-20-H62

Tract No. 53 and hereby designates

NAME: Coors Energy Company

ADDRESS: P.O. Box 467, Golden, Colorado 80401

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.S.M. Section 4: NE/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

GULF OIL CORPORATION

W. R. Wimbish


Attorney-in-Fact

February 7, 1983

(Dute)

P.O. Box 2619, Casper, WY 82602

(Address)




Water agreement

2-21-83

ors may lo, has an agreement wind of les to have water to locations as des led 1-1, #1-8, #1-18, #1-20 and #1-29 in To R3 in Duchesne Country & Utah. water will be ruled by truck from Duchesne River at lo at it described on attached permitt to we low lious described above.

Jake Timen

EXHIBIT "I"



.: Form 97 2M 10-70

· E

Application No. 5858 Y

NOTE:—The information given in the following blanks should be free from explanatory matter, but when necessary, a complete supplementary statement should be freely under the heading "Explanatory."

For the purpose of acquiring the right to use a position of the control of the purpose of acquiring the right to use a position of the control of the con

For the purpose of acquiring the right to use a portion of the unappropriated water of the State Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the St	of ate
Engineer, based upon the following showing of facts, submitted in accordance with the requirements	of
the Laws of Utah.	

Utah Engi the I	For the purpose of acquiring the right to use a por h, for uses indicated by (X) in the proper box or ineer, based upon the following showing of facts, so Laws of Utah.	boxes, application in about the design of th	nce with the	made to he require	ments of	
1.	Irrigation Domestic Stockwatering Mu	nicipal Power 🗆	Mining	Other	Uscs 🗆	
•	The manual the authorities Gurco Rentals.	Inc.				
3.	The Post Office address of the applicant is 3875.	East 3900 South	Ully	ual, t	4 840	18
4	The quantity of water to be appropriated	second-feet	and/or 📙	<u> </u>	_acre-feet	
5.	The water is to be used for Oil Well Drilling	from Dec . 27 . 1!	982 to	Dec. 26	,1983	
	other use period(Minor Purpose)	from (Month)	to	(Month)	/Day) 109	A
÷:. •	(Minor rurpose)	(Month)	(Day)	(wionin)	(54)	Charles Aries
	and stored each year (if stored) from	(Month)	(Day)	(Month)	(Day)	
	The drainage area to which the direct source of sup		(Leave	Blank)		
7.	The direct source of supply is* Duchesn	e River (Name of stream or oth)				
	which is tributary to					
first s space, may : divers	*Note.—Where water is to be diverted from a well, a tunnel, or drain space and the remaining spaces should be left blank. If the source is e, giving its name, if named, and in the remaining spaces, designate the sink, evaporate, or be diverted before reaching said channels. If we tried, the direct source should be designated as a stream and not a spring	n, the source should be des a stream, a spring, a spring he stream channels to whic ater from a spring flows in g.	ignated as "U g area, or a dra h it is tributa a natural sur	nderground ' ain, so indica ry, even thou face channel	Water" in the te in the first igh the water before being	
	The point of diversion from the source is in	Sec. 6, T4S.R4W	I,USB&M			
west at a divers 9.	*Note.—The point of diversion must be located definitely by course twith reference to a United States land survey corner or United States greater distance, to some prominent and permanent natural object raion is not defined definitely. The diverting and carrying works will consist of DU he water hauled to place of use	numeral monument, if will No application will be re umper trucks which	in a distance cocived for file the will the	ing in which	the point of	
10.	If water is to be stored, give capacity of reservoir in area inundated in acreslegal subdivi	n acre-feet sion of area inundate	h :dh	cight of d	am	
11.	. If application is for irrigation purposes, the legal su	ıbdivisions of the are	a irrigated	are as fol	lows:	
••••						
	:		Cotal		Acres	;
12.	. Is the land owned by the applicant? Yes	. No If "No,"	explain on	page 2.	•	
13.	. Is this water to be used supplementally with other If "yes," identify other water rights on page 2.	water rights? Yes	N	υ		
14.	. If application is for power purposes, describe type					- •
	. If application is for mining, the water will be used the mine, where the	following ores are mi	ined			
	. If application is for stockwatering purposes, numb	er and kind of stock	watered			
17.	. If application is for domestic purposes, number of	persons	, or familio	es		•
18.	. If application is for municipal purposes, name of r	nunicipality				-
19.	. If application is for other uses, include general des	scription of proposed	uses 011	Well Dr	illing p	urpo
20.	Give place of use by legal subdivision of the Unite graphs 14 to 19, incl. Sec. 16. T45, R4W	d States Land Survey USB&M	for all us	es describ	ed in para	·•
21	* * * * * * * * * * * * * * * * * * * *	will consume 1.0 and/ or acre feet	sxxx will be re	ondeleex turned to	md/or acro the natura	e- al

posed appli	
Part State	情報の表現である。 Control of the American Control of the Control of the American Control of the Contro
	•
1.	
A EN V	
•	
	(Use page 4 if additional explanatory is needed.)
	The quantity of water sought to be appropriated is limited to that which can be beneficially used for the purpose herein described
	Signature of Applicant
*If app	
be listed. I	plicant is a corporation or other organization, signature must be the name of such corporation or organization or officer, or in the name of the partnership by one of the partners, and the names of the other partners shalf a corporation or partnership, the affidavit below need not be filled in. If there is more than one applican attorney, authorizing one to act for all, should accompany the Application.
	DECLARATION OF CITIZENSHIP
STATE O	PITTAHI ()
County of.	42
On the notary pub or has dec	blic for the his of Utilized applicant who, on oath, declared that he is a citizen of the United State lared his paid to be un unit a citizen.
	ssion explanation (1955)
	JOHN SOLUM (SEAL) F
	The state of the s
	TEOS LEWISCON

FEES FOR APPLICATIONS TO APPROPRIATE WATER IN UTAH

Flow rate — c.f.s.	Cost	
0.0 to 0.1	\$ 15.00	
over 0.1 to 0.5	30.00	
0.5 to 10	45.00	a a roc . I fall washe first cubic
2007 1 0 to 15 0	45.00	plus \$7.50 for each cfs above the first cubic
over 15.0	150.00	foot per second.
Storage - acre-feet		
0 to 20	22.50	
over 20 to 500	45.00	plus \$7.50 for each 500 a.f. above the first
500 to 7500	45.00 150.00	•

(This section is not to be filled in by applicant)

	STATE ENGINEER'S ENDORSEMENTS
_	by mail . Grate Engineer's office by
يا1	by mail 23,1932. Application received over counter, in State Engineer's office by Priority of Application brought down to, on account of
L	
	90, 15602
3	12-27-12 Application fee, \$.15.00, received by 6.2. Rec. No. 15.542
4	Application microfilmed by Roll No. 12-29-81 Indexed by Platted by
4	12 - 29 - 86 Andayed by 60
5	
•	12/23/52 Application examined by Pf.
6. <i>f</i> .	Application examined by
7	
	hy mail a the attion
8	by mail Corrected Application resubmitted over counter to State Engineer's office.
^	Application approved for advertisement by
	Notice to water users prepared by
11.	Publication began; was completed
	At it was the ball in
	Proof sline checked by
12.	Application protested by
13.	
	•••••
14.	Publisher paid by M.E.V. No.
15.	Hearing held by
16.	Field examination by
17	Field examination by approval Application designated for rejection proofreed by
17.	Application designated for pajection 2/4/83 Application copied or photostated by
18.	approved 2/4/83 Application Application
19.	
20.	Conditions:
	This Application is approved, subject to prior rights, as follows:
7. j	Actual construction work shall be diligently prosecuted to completion.
i	to the other sources of the plate Engineer's office of
	TEMPORARY APPROVAL EXPIRES DECEMBED 207. 1207.
•	Jan C Hansen
	Dee C. Hansen, P.E., State Engineer
ļ,	Dee C. Hansen, P.E.,
21	Time for making Proof of Appropriation extended to
1 1	
00	Proof of Appropriation submitted.
22	- Annyonrighton NO.
23	Application No 58388
	Application NoC.D.C

,	•	
-	A STATE OF THE STA	
and the second section of the second section s	and the second s	
		The second section of the second seco
		The second secon
	· · · · · · · · · · · · · · · · · · ·	and the second of the second o
	The second secon	Company of the Compan
		The state of the s
	and the state of t	
Plantation growing and the second sec	A desired beauty 1 (Miller Scottle graphs service with the company of the 1000 CHR 1	
naprominimatina applicar temperaturality of temperatura in an a personal person material (+ 1 of - 1 of		
	The second secon	The state of the s
emploidement war at the	The second secon	
makelunkannyanyan magazinin mendandakan di dipungkan mendangkan apagit dipungkan dipun	and the same and the same of the same of the same and the same and the same of	
	Control of the Contro	The second secon
		The second secon
	and the second s	
1		
	many and a common data and in the common common common and the common co	
	and the second exercise exercises and the second exercises are second exercises.	
	to the wind the administration of the control of th	The second section of the second seco
-		
air ann an t-air an t-air ann ann ann ann an t-air an t-	The same of the sa	
Managing and the space of the s		
والمراجع والم والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراج		
	The state of the s	
	and the second s	
		e e e e e e e e e e e e e e e e e e e
week the summer to the summer to the sum of		The second secon

EXPLANATORY CONTINU

Page No. 4

NOTICE TO APPLICANT

All waters in this state, whether above or under the ground, are the property of the public, subject to all existing rights to the use thereof. No appropriation of the unappropriated public water may be made and no rights to the use thereof shall be recognized except Application for such appropriation first be made to the State Engineer.

The approval of this Application is not a Certificate of Appropriation. It is merely your authority to begin construction work, which must be prosecuted diligently to completion. To secure a Certificate of Appropriation under this Application, Proof of Appropriation must be submitted within the time limit allowed by the State Engineer. The amount of water for which Certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water specified in this Application. Proof of Appropriation must be made in accordance with the requirements of the law. For further information write the State Engineer.

SUPERVISOR, OIL AND GAS OPERATIONS:

DESIGNATION OF OPERATOR

The undersigned is, on the records of the .U.S. Department of the Interior, Bureau of Indian Affairs

DISTRICT LAND OFFICE: The Ute Indian Tribe and the Ute Distribution Corporation Lease No. 14-20-H62

Tract No. 53 and hereby designates

NAME: Coors Energy Company

ADDRESS: P.O. Box 467, Golden, Colorado 80401

as his operator and local agent, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the supervisor or his representative may serve written or oral instructions in securing compliance with the Oil and Gas Operating Regulations with respect to (describe acreage to which this designation is applicable):

Township 5 South, Range 3 West, U.S.M. Section 4: NE/4

It is understood that this designation of operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the lease.

In case of default on the part of the designated operator, the lessee will make full and prompt compliance with all regulations, lease terms, or orders of the Secretary of the Interior or his representative.

The lessee agrees promptly to notify the oil and gas supervisor of any change in the designated operator.

GULF OIL CORPORATION

W. R. Wimbish

(Signature of lessee)
Attorney-in-Fact

P.O. Box 2619, Casper, WY 82602

(Address)

February 7, 1983

(Date)

Form 9-331 C (May 1963)

SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)


Form approved. Budget Bureau No. 42-R1425.

DATE ____

UNITED STATES
DEPARTMENT OF THE INTERIOR

	DEPARTMEN	-		HUR		5. LEASE DESIGNATION	AND BERIAL NO.	•
	GEOLO		TL 3503					
	Y FOR PERMIT	TO DRILL, D	EEPE	N, OR PLUG B	ACK	G. IF INDIAN, ALLOTTEE Ute Tribal	OR TRIBE NAME	
	LL 🖾	DEEPEN []	PLUG BAC	K 🗆	7. UNIT AGREEMENT NA	ME	•
OIL TO GE	ELL XX OTHER			NGLE WELTH		S. FARM OR LEASE NAM	(E	-
WELL XX W	ELL XX OTHER			RE AAJ ZORE		Ute Tribal		
	· Company			(303) 278-79	330	9. WELL NO.		-
Coors Energy	Company			(303) 210 1	0.50	1-4		
	Colden Colora	do 80401				10. FIEGD AND POOL, O	& WILDCAT	-
LOCATION OF WELL (R	Golden, Colora eport location clearly and	in accordance with	any S	tate requirements.")		Nutter Canyo	n	
At surface 1331	FNL, 1277'FEL,	Section 4				11. SEC., T., R., M., OR H AND SURVEY OR AR	LK.	•
At proposed prod. son						Sec. 4, T5S-		
DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POST	OFFICE	•		12. COUNTY OR PARISH	13. STATE	-
	h of Bridgelan					Duchesne	Utah	
DISTANCE FROM PROPO	SED*	1	16. NO	OF ACRES IN LEASE		OF ACRES ASSIGNED	· · · · · · · · · · · · · · · · · · ·	
LOCATION TO MEARES?	r .ine, ft. 1	277'		640	TO 1	THIS WELL		
(Also to nearest drig	ORED LOCATION*		19. PR	OPOSED DEPTH	20. ROT	ARY OR CABLE TOOLS	-	-
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	none		6340'		rotary		
	ether DF, RT, GR, etc.)	<u></u>			•	22. APPROX. DATE WO	SK WILL START*	-
5932'GL						March-April,	, 1983	
•	1	PROPOSED CASING	GANE	CEMENTING PROGRA	м			_
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOO	от	SETTING DEPTH		QUANTITY OF CEMEN	ı T	_
12날"	8-5/8"	24.00		400	40	0 sacks		_
7-7/8	4-1/2"	11.60	1		30	300 sacks		
						·		
2. Estimat 3. Water 2 oil. M 4. Attache 5. The pro Mud wes 6. Auxilia the dri 7. No corr run wil 8. No abno 9. Anticip operati	cones are possing aquifers or aduifers or adiagram oposed circulatights in excess ary equipment: ill string willing is planned, il be: Dual Informal temperaturated starting ions: 30 days.	ops: Green ble througho other minera of the pres ing medium w of 10#/gal. float will be on the r drill stem duction Late re, pressure date: March	River out 1 de la constant de la con	tah Formation. er 1620', Wasat- the Green River ones are antici- e control devic- be 3% KCL wate e not anticipat- run in drill st floor at all times ts may be run in g, Compensated in r potential haz April, 1983. Hug back, give data on pro- n subsurface locations an	forma pated. e to b r or a ed. ring, mes. n pote Neutro ards a Expect	e used on this low-solids nor a full opening Kelly cock valuation Demonstration Demonstrate expected. The duration of ductive zone and propose and true vertical depth	well. n-disperse valve to ves will b s. Logs t asity Log. drilling d new productive as. Give blowout	fit e use o be
SIGNED	mart	TITI.	<u>v.</u> 1	P. 0il/Gas Oper	ations	DATE 2-3	12-83	- =
(This space for Fede	ral or State office use)							
PERMIT NO.				APPROVAL DATE				-
						•		

SPECIAL BOP INSTRUCTIONS



THE FOLLOWING CONSTITUTE MINIMUM BLOWOUT PREVENTER REQUIREMENTS

- A. One double gate blowout preventer with lower rams blind and upper rams for pipe, all hydraulically controlled, opening on preventers between rams.
- B. Opening to be flanged, studded or clamped and at least two inches diameter.
- C. All connections from operating manifold to preventers to be all steel hose or tube a minimum of one inch in diameter.
- D. The available closing pressure shall be at least 15% in excess of that required with sufficient volume to operate the preventers.
- E. All connections to and from preventers to have a pressure rating equivalent to that of the BOPs.
- F. Manual controls to be installed before drilling cement plug.
- G. Valve to control flow through drill pipe to be located on Rig floor.
- H. Choke may be either positive or adjustable.
 A choke spool may be used between preventers.
- I. Casinghead or Braddenhead flange will be 10" API Series 900
- J. After each string of casing is run, BOP and casinghead will be tested to 1000 psi. Pipe ram operation will be checked every 24 hours & blind rams checked every trip.

MULTIPOINT SURFACE USE PLAN COORS ENERGY COMPANY UTE TRIBAL #1-4 SECTION 4, T5S-R3W DUCHESNE COUNTY, UTAH

Coors Energy Company will assure that this APD will be posted in the doghouse of the drilling rig during the drilling of this well. Also, a sign will be posted at the entrance to the location with the name of the well, operator and location description.

1. EXISTING ROADS - See Exhibits B, C, D, E, F.

Access to Coors-Ute Tribal #1-4 begins at the City of Roosevelt, Utah, and proceeds along the following roads with approximate mileages as indicated:

Proceed westerly out of Roosevelt, Utah on U.S. Highway 40; proceed along said Highway 17.3 miles to the Junction of this Highway and an existing improved dirt road to the south (County Road); proceed south along said improved County road 6.2 miles down what is known as Antelope Canyon; to the Junction of this road and an existing unimproved dirt road to the southeast; proceed south-easterly along this road 1.3 miles to it's Junction with an existing unimproved dirt road to the East; proceed Easterly along said road 1.3 miles to it's Junction with an existing unimproved dirt road to the northeast; proceed northeasterly along said road 1.2 miles to the Junction of this road and the proposed access road to the east.

Road maintenance from the Antelope Canyon main road (approx. 3.8 miles) to the well will be provided by a Coors Energy Company subcontractor. Maintenance will consist of periodic grading and repairs to the surface. During summer months, a watering program will be used to control dust. Rain and other inclement weather may require repairs to turnouts, waterbars, etc. No cattleguards or gates will be installed along the road.

Materials for upgrading the existing road will come from the immediate area of road improvement work.

Upgraded existing roads will be constructed with a 20' road surface with bar ditches and water bars where required. Not over 30' will be cleared except for turning radius turns which will not exceed 40'.

2. PLANNED ACCESS ROAD - See Exhibit B, D, E

Approximately 3.8 miles of existing road from the Antelope Canyon main road to the well is to be improved and 100' of new road is to be built to the Ute Tribal 1-4. The proposed access road will be approximately 100' long. This proposed access road will be an 18' crowned road (9' either side of the centerline) with a drain ditch on the uphill side of the road which will handle any run off from normal Meteorological conditions that are prevalent to the area. It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence. Back slopes along the cut areas of the road will be 1½ to 1 slopes and terraced. There are no fences encountered along the proposed access road.

Page 2
Multipoint Surface Use Plan
Ute Tribal 1-4

2. PLANNED ACCESS ROAD, Continued

New access road will be constructed with a 20' road surface with bar ditches and water bars where required. Not over 30' will be cleared except for turning radius turns which will not exceed 40'.

Any trees cut during construction of the access road or well pad which have a diameter exceeding 4" will be cut into 4' lengths and stacked along the road right of way. Any brush or trees less than 4" in diameter will be scattered off road right of way and located in an orderly fashion as ground cover.

3. LOCATION OF EXISTING WELLS - See Exhibit G, H

Within a two-mile radius of the well location, there are two shut in wells. They are as follows:

Ute Tribal 1-27D3 Section 27, T4S-R3W Gulf Oil Company

Ute Tribal 1-28D3 Section 28, T4S-R3W Gulf Oil Company

A well is also proposed in Section 29 of T4S-R3W by Gulf Oil.

There is one dry hole in Section 9 of T5S-R3W. This well is the 1 Ute Tribe B drilled by Amerada Petroleum in 1967 to a total depth of 6475'.

With the exception of the above mentioned wells, there are no:

a) known water wells

- g) producing wells
- b) temporarily abandoned wells
- c) disposal wells
- d) drilling wells
- e) injection wells
- f) monitoring or observation wells.

A field survey was made by Uintah Engineering and Land Surveying for Coors Energy and no water wells were found within a 2-mile radius

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES - See Exh. B, C, D

Coors Energy Company has no facilities in this area and production facilities will consist of a pump jack, two 100 bbl tanks, and a separator facility with a waste water disposal pit. Approval of production facilities is desired with APD approval for the Ute Tribal 1-4. All production facilities will be located on the west side on the well pad and will be painted in earth colors such as Bad Lands grey.

For drilling operations, a survey map (Exhibit B) showing rig layout is attached. All necessary surface equipment will be spotted on the 265 x 375' wellsite pad.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES, Continued

All garbage and trash will be placed in a trash cage and hauled to an appropriate disposal site. Any disturbed area not required for producing operations will be restored according to Minerals Management Service instructions. The production facilities will create no additional surface disturbances. The drilling waste pit will be fenced on three sides with 36" woven sheep wire with two strands barbed wire on top of the sheep wire. Upon completion of the drilling operations, the fourth side will be fenced.

5. LOCATION AND TYPE OF WATER SUPPLY - See Exhibit I

The source of the water used to drill this well will be from a private source in the town of Bridgeland, Utah. The water source agreement for the Ute Tribal 1-4 is shown on Exhibit I.

6. SOURCE OF CONSTRUCTION MATERIALS

The top 6" of topsoil will be removed from the well pad and stored adjacent to the location as shown on Exhibit "B". Fill materials needed to construct the location will be derived locally from cuts needed to build the well pad.

7. METHODS FOR HANDLING WASTE DISPOSAL

A mud reserve pit will be constructed for containment of drill cuttings as well as all drilling fluids and produced fluids. Produced waste fluids will be contained in a pit constructed in accordance with NTL-2B. Sewage will be contained in a chemical type toilet. All trash and garbage will be placed in a trash cage and hauled from the location to an appropriate disposal site. The pit will be fenced as per statments in Section 4.

The reserve pit will be allowed to dry and then back-filled and the area restored according to MMS requirements upon abandonment.

8. ANCILLARY FACILITIES

None will be required.

9. WELL SITE LAYOUT - See Exhibit B

Attached is a diagram showing the proposed wellsite layout.

10. Plans for Restoration of Surface - See Exhibit B

Surface vegetation scraped off during drillsite preparation will be removed and stock-piled prior to topsoil removal. Upon abandonment, this vegetation will be redistributed as a mulching agent over the wellsite. The top 6" of topsoil will be stock-piled on the side of the wellsite as shown on Exhibit "B". Page 4
Multipoint Surface Use Plan
Ute Tribal 1-4

10. PLANS FOR RESTORATION OF SURFACE, Continued

The original surface will be reconstructed as close as possible upon abandomment. The stock-piled topsoil will be spread over the area. Any solid waste material present prior to abandonment will be burned, buried, or removed from the location. Any oil or deleterious liquids will be removed by a pump truck to an approved disposal area.

The topsoil will be tested to determine if fertilizer is needed to re-establish vegetation. After spreading the stock-piled topsoil, the following seed mixture will be used for reseeding:

Smooth brome (Manchar)

Orchard grass

5 lbs pure live seed/acre
5 lbs pure live seed/acre
1 lbs pure live seed/acre
5 lbs pure live seed/acre
1 lbs pure live seed/acre
1 lbs pure live seed/acre
1 lbs pure live seed/acre

This mixture will be drilled to a depth of one-half inch and planted between September 15 and November 15. This seeding program will be modified as per BLM instruction at the time of site restoration.

11. OTHER INFORMATION

The Ute Tribal 1-4 is located approximately 7 miles south of Bridgeland, Utah on the Uintah and Ouray Indian Reservation. The area is covered with native sagebrush. No wildlife was observed on the location.

There are no occupied dwellings within approximately two (2) miles of the wellsite. An archaeological report is attached. Since this well is on the Uintah and Ouray Indian Reservation, Coors will work closely with Ute Tribal representatives to insure all Tribal requirements for drilling and production operations of this well are followed.

It is Coors Energy Company policy that no Coors employee nor subcontractor carry firearms on access roads nor onto the location during drilling or well completion operations of this well.

12. CONTACT

R. L. Martin
Vice President
Oil & Gas Operations
Coors Energy Company
PO Bob 467
Golden, Colorado 80401
Phone: (303) 278-7030

13. CERTIFICATION

See Exhibit K

ARCHAEOLOGICAL SURVEY FOR COORS ENERGY UTE TRIBAL #1-4, UINTAH AND OURAY INDIAN RESERVATION

GRC Report 8305C

by
Thomas F. Babcock, Ph.D.
Supervising Archaeologist
and
John D. Hartley, M.A.
Project Archaeologist

GRAND RIVER CONSULTANTS, Inc. 576 25 Road, Suite 11 Grand Junction, CO 81501 (303)241-0308

March 11, 1983

Prepared for:
Coors Energy Company
Bldg. 21, Suite 150
Denver West Office Park
1746 Cole Blvd.
Golden, CO 80401

Distribution:

Ute Indian Tribe (1)

BIA - Uintah and Ouray Agency (1)

BLM - State Office, Salt Lake City (1)

District Office, Vernal (1)

Area Office, Vernal (1)

Utah State Historical Society, Antiquities Division (1)

Coors Energy Company (2)

Utah State Office

Summary Report of Inspection for Cultural Resources

Report Accep 1e	Yes	No	
Mitigation Acceptable Comments:	Yes	No	

. Report Title [A R C H S U R V E Y F O R C O R S	
TI	40
. Development company	ities Permit No. <u>82-UT-032</u>
Report Date 3 11 1983 4. Anciqui	
. Responsible Institution GRG	County <u>Duchesne</u>
. Fieldwork Location: TWN [5 S Range [3 W Sec	ction(s) 4 7071 7273 7475 7677
Ute Indian 78 81 82 85	ction(s)
Description of Examination Procedures: parallel pedes 50', with special attention to areas o ant hills.	strian transects spaced of rodent burrows and
Definable Acres Surveyed 118 123 *Legally Undefinable Acres 6	Society3/2/83 Inventory Type j R=Reconnaisance I: Intensive S=Statistical Sample
(*A parcel hard to codastrolly locate i.e., leater of section) 1. Description of Findings (attach appendices, if appropriate in the section)	riate) 12. Number Sites Found: 0 1 1 No sites = 0
No cultural resources were found.	13, Collection: N Y=Yes, N=1
4. Actual/Potential National Register Properties Affected	d:
None.	
.5. Conclusion/Recommendations:	
Archaeological clearance is recommende	ed.
[6. Signature and Title of Institutional Officer Responsi	Principal Investigator

Note: Include only requested information in numbered spaces.

* For extra locationals use additional 8100-3 forms.

'Ut 8100-3 (1/80'

ARCHAEOLOGICAL SURVEY FOR COORS ENERGY UTE TRIBAL #1-4,

UINTAH AND OURAY INDIAN RESERVATION

by
Thomas F. Babcock
and
John D. Hartley

Abstract

Archaeological survey for the Coors Energy Ute Tribal #1-4 well location revealed no cultural resources. Archaeological clearance for the project is recommended.

Introduction

Grand River Consultants, Inc. was requested by Coors Energy to provide an archaeological survey for a proposed well location on the Uintah and Ouray Indian Reservation, Utah. The legal location of the project is:

T5S R3W Section 4, NEI/4 U.S.G.S. 7.5' series, Myton SW, Utah, 1964.

The project area was visited on March 3, 1983, by Thomas Babcock of Grand River Consultants, during an on-site inspection by the Ute Indian Tribe, BIA, BLM, and representatives of Coors Energy. At that time the area was completely covered with snow, so that no cultural resource inventory could be made. On March 9, 1983, John Hartley and Thomas Babcock, of Grand River Consultants, were accompanied into the area by Mr. Joe Pinnecoose of the Ute Indian Tribe. On that date there was no snow cover and an archaeological inspection was made.

Prior to initiation of field work, a literature search was conducted at the Vernal office of the BLM, and with the office of the Utah State Historical Society, Antiquities Division. There were no previously recorded sites in the project vicinity.

The well pad was flagged, and no additional access was required. The total inventoried area was approximately 6 acres, measuring 500' x 500'.

Survey Methodology

Field procedures consisted of walking parallel transects across the proposed well pad, with transects spaced no farther apart than 50'. The transects were carried beyond the limits of the well pad, to include a 50' buffer on all sides of the proposed construction site. Special attention was given to ant hills and rodent burrows, where subsurface materials were brought to the surface and exposed.

Topography and Vegetation

The project area is on the western edge of the ridge system between Antelope Creek and Wells Draw. It is along a slightly SW oriented slope. An improved dirt road passes immediately west of the well pad, while an abandoned road or trail passes through the western half of the well location. Both roads trend NNE-SSW.


Vegetation consisted of desert shrubs, primarily saltbush and bunch grasses. Visibility in this area approaches 95%.

Survey Results

No cultural resources were found during the survey. The ground surface was rocky, but this appeared to be the result of either deflation or slope wash, or a combination of the two processes. Rodent holes were present, and the loose sandy soils could contain buried cultural materials. An examination of rodent holes and ant hills, however, revealed no cultural debris.

Conclusions

Archaeological clearance for construction of the well pad is recommended, with the proviso that Coors Energy contact the Ute Indian Tribe and a professional archaeologist should subsurface cultural resources be located.



MYTON SW, UTAH N4000—W11007.5/7.5

Map of project area for Coors Energy Company well location Ute Tribal #1-4, Uintah and Ouray Indian Reservation.




CERTIFICATION BY OPERATOR'S FIELD REPRESENTATIVE

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access road; that I am familiar with the conditions that presently exist; that the statements made in this plan are, to the best of my knowledge, true, complete, and correct; and that the work associated with this plan will be carried on by Adolph Coors Company, and its contractors and subcontractors, in conformity with the plan and the terms and conditions under which it is approved.

2-22-83 Date

R. L. Martin

Vice President, Oil and Gas Production



(801) 722-5141 x219




NOTICE

TO: All Well Operators, Lessees, Subcontractors, Vendors, and Affiliated Agents and Employees Thereof

When entering the Ute Reservation, the entering individual is coming into a sovereign nation separate and distinct from the State of Utah. As such, there are special requirements which must be complied with when traversing or operating on Ute Indian Lands.

- 1. Trespass permits shall be obtained and carried with individual on tribal lands at all times.
- 2. All operators, subcontractors, vendors, and their employees or agents shall not carry firearms or other weapons.
- 3. All operators, subcontractors, vendors, and their employees or agents are confined to established roads and well sites. All litter must be removed from Ute Lands.
- 4. All operators, subcontractors, vendors, and their employees or agents may not gather firewood on Indian lands. Absent a duly granted "wood permit," such gathering is a criminal offense punishable in Federal court.
- 5. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. Required information for permits includes: a) the approximate amount of water or materials needed; b) the location and ownership of the water rights or materials to be used and; c) the approximate amount of water or materials to be used.
- 6) All artifacts found while on Tribal lands shall be left in place and the Tribe promptly notified of the find.
 - 7) No prospecting will be allowed on Tribal lands.
- 8) No alcoholic beverages or drugs shall be permitted while working on the Reservation.



OFFICE LOCATION 85 SOUTH 200 EAST

PHONE 789-1017

GENE STEWART Phone 789-1795

LAWRENCE C. KAY Phone 789-1125

Uintah Engineering & Land Surveying

P.O. BOX Q VERNAL, UTAH 84078



February 8, 1983

COORS ENERGY, UTE TRIBAL #1-4

EXISTING & ACCESS ROAD DESCRIPTION

Access to Coors-Ute Tribal #1-4 begins at the City of Roosevelt, Utah, and proceed along the following roads with approximate mileages as indicated:

Proceed Westerly out of Roosevelt, Utah on U.S. Highway 40; proceed along said Highway 17.3 miles to the Junction of this Highway and an existing improved dirt road to the South (County Road); proceed South along said improved County road 6.2 miles down what is known as Antelope Canyon; to the Junction of this road and an existing unimproved dirt road to the Southeast; proceed Southeasterly along this road 1.3 miles to it's Junction with an existing unimproved dirt road to the East; proceed Easterly along said road 1.3 miles to it's Junction with an existing unimproved dirt road to the Northeast; proceed Northeasterly along said road 1.2 miles to the Junction of this road and the proposed access road to the East. The proposed access road will be approximately This proposed access road will be an 18' crowned road (9' either side of the centerline) with a drain ditch on the uphill side of the road which will handle any run off from normal Meteorological conditions that are prevalent to the area. It is not anticipated that there will be any culverts required along this road as it crosses no drainages of any consequence. Back slopes along the cut areas of the road will be $1\frac{1}{2}$ to 1 slopes and terraced. There are no fences encountered along the proposed access road.

SUBMIT IN TELPTICATE* (Other instructions on

Korm approved. Budget Bureau No. 062-R1425

		IED STATES		re≠crae #	1(10)		R≥	والمستحدث	
DEPARTMENT OF THE INTERIOR						5. LEARE DESIGNATION AND BERIAL NO.			
GEOLOGICAL SURVEY					TL 3503	المان أ	17 193		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK						G. IF INDIAN, ALLOTTEE OR TRIBE NAME SALT LANE CITY			
ALTIPE OF WORK	HOTT TOK TERRITOR					Ute Tribal		: L	
A. TIPE OF WORK	DRILL XX	DEEPEN (PLUG BA	CK 🗌	7. UNIT AGREEMENT N.	AME		
b. TYPE OF WELL	GAS		NINGLE ZONE	A MULTIP	LE [S. FARM OR LEASE NAM	(16	-	
WELL XX	GAS WELL XX OTHER		ZONE A	U zone		Ute Tribal			
(262) 272 7020						9. WELL NO.			
COOIS EN	ergy Company		- Jane -	7.00 <u>.</u>		1-4			
PO Box 467, Golden, Colorado 80401 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)						10. FIELD AND POOL, OR WILDCAT			
LOCATION OF WE	LL (Report location clearly an	d in accordance wit	th any State requ	irements.	₹ \v.	Nutter Canyon			
At eurface	331'FNL, 1277'FEL,					11. SEC., T., R., M., OR E AND SURVEY OR AR		-	
At proposed pro			. " 4	333 ×	1.0				
•			Or On	<u>'ನ್ಫಿ</u>	(390000	Sec. 4, T5S-		_	
4. DISTANCE IN M	ILES AND DIRECTION FROM NE	REST TOWN OR POS	T OFFICE O	2 10		12. COUNTY OR PARISH			
6 miles	south of Bridgelar	d, Utah	<u> </u>	02 3	10/0	Duchesne	Utah	_	
16. NO. OF ACEESIN-LEASE 17. NO. OF					F ACRES ASSIGNED				
PROPERTY OR LEASE LINE, FT. (Also to perpent drig, unit line, if any)					100				
8. DISTANCE FROM PROPOSED LOCATION® TO MEAREST WELL, DRILLING, COMPLETED,			10.1.0		20. ROTA	ARY OR CABLE TOOLS			
OR APPLIED FOR,	ON THIS LEASE, FT.	63	340'	<u> </u>	rotary				
1. ELEVATIONS (Show whether DF, RT, GR, etc.)						22. APPROX. DATE WORK WILL START*			
5932'GL						March-April, 1983			
3.		PROPOSED CASI	NG AND CEME	NTING PROGRA	A M				
SIZE OF HOLE	SIZE OF HOLE SIZE OF CASING WEIGHT PER FO		OOT SETTING DEPTH			QUANTITY OF CEMENT		<u> </u>	
12½"	12½" 8=5/8" 24.00			.00	. 400	400 sacks		_	
	7-7/8 4-1/2" 11.60		63	6340'300		0 sacks			
	·				İ				
	ı	ŧ	'		•				
1. Thi	s well will be spu	dded in the	Uintah Fo	ormation.					
2. Est	imated formation t	ops: Green	River 162	20', Wasat	ch6200)', _TD	isatch.		
3. Wat	er zones are possi	ble through	out the Gr	reen River	format	tion as well as	s gas and	or	
of l	. No aquifers or	other miner	al zones a	are antici	pated.				
4. Att	Attached is a diagram of the pressure control device to be used on this well.								
5. The proposed circulating medium will be 3% KCL water or a low-solids non-dispersed mud weights in excess of 10#/gal. are not anticipated.									
Mud	weights in excess	of 10#/gal	. are not	anticipat	ea.	•		c	

Auxiliary equipment: float will be run in drill string, a full opening valve to fit the drill string will be on the rig floor at all times. Kelly cock valves will be used.

No coring is planned, drill stem tests may be run in potential pay zones. Logs to be run will be: Dual Induction Laterlog, Compensated Neutron Formation Density Log.

No abnormal temperature, pressures or potential hazards are expected.

Anticipated starting date: March or April, 1983. Expected duration of drilling 30 days.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any

Martin

V.P. Oil/Gas Operations

E. W. Guynn District Oil & Gas Supervisor

APR 2 0 1983

NOTICE OF APPROVAL

CONDITIONS OF APPROVAL ATTACHED

TO OPERATOR'S COPY

*See Instructions On Reverse Side

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-DATED 1/1/80

STATE 0 & G

Coors Energy Company
Well No. 1-4
Section 4, T. 5 S., R. 3 W.
Duchesne County, Utah
Lease 14-20-H62-3503

Supplemental Stipulations:

- 1. Operator employees, including subcontractors, will not carry fire-arms or other weapons that may be used to kill game animals.
- 2. Operator employees, including subcontractors, will be confined to established roads and well sites. The purpose of this is to prevent soil erosion, and to prevent harassment of game animals or livestock with off-road vehicles such as snowmobiles, motorcycles, 4-wheel drives, etc.
- 3. Operator employees, including subcontractors, will not gather fire wood along roads constructed by operators. It is the policy of the Ute Indian Tribe and the Bureau of Indian Affairs to require wood permits from the Forestry Section of B.I.A. for both Indians and non-Indians harvesting wood from the Uintah and Ouray Reservation.
- 4. Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) stockpiling the topsoil, (b) establishing original ground contour, (c) reestablishing irrigation systems where applicable, (d) reestablishing topsoil to the ground surface on disturbed areas, (e) reestablishing soil conditions in irrigated fields in such a way as to insure cultivation and harvesting of crops and (f) insuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the B.I.A. at the time of abandonment.
- 5. Production water will be disposed of at approved disposal pits or injection wells. The injection well or disposal pit used will be identified by legal description.
- 6. All roads constructed by operators on the Uintah and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the B.I.A. before cutting firewood or other timber products and (e) only authorized personnel permitted.
- 7. It is the policy of the B.I.A. and the Ute Indian Tribe to make right-of-ways available, without cost, to operators when both mineral rights and surface rights are owned by the Ute Indian Tribe. If the surface rights are owned by the Ute Indian Tribe and minerals rights are owned by another entity, the right-of-way will be approved and charges will be assessed for damages prior to the time the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, right-of-ways must be cleared with the other entity.

- 8. If water or fill materials are needed in constructing roads, well sites, or are used in the drilling process, proper permits are needed. Information for permits will include: (a) the approximate amount of water or materials needed, (b) location and ownership of the water rights or materials to be used and (c) the approximate amount of time the water or materials will be used.
- 9. When soils are disturbed and natural vegetation destroyed, it is a natural process for annual weeds to invade the site. Often noxious weeds will grow, especially along roadways where seeds can be carried from place to place in dust and mud collecting on motorized vehicles. The operator will submit a plan for controlling noxious weeds along right-of-ways for roads, pipelines, well sites or other applicable facilities. A list of noxious weeds can be obtained from the appropriate county.
- 10. Candy wrappers, beverage cans, construction materials, etc., will not be littered along roadways or other sites. The operator will initiate a procedure to keep the sites free from litter, and keep them groomed in a neat and professional condition.
- 11. A bench mark will be established near each well site in a location where it will not be destroyed. The bench mark will be set in concrete with a brass cap. The brass cap will show the well number and elevation to the nearest one-tenth of a foot. The cuts/fills for the well site will also show elevations in relation to the bench mark.
- 12. Topsoil will be placed on the west edge of the location.
- 13. Production facilities will be painted a color to blend in with the natural surroundings. Tanks will be placed on the west edge of the location.
- 14. Adequate and sufficient electric/radioactive logs will be run to locate and identify the prime oil shale horizons in the Mahogany Zone of the Green River formation. Casing and cementing programs will be adjusted to eliminate any potential influence of the well bore or productive hydrocarbon zones on the oil shale resource. Surface casing program may require adjustment for protection of fresh water aquifers. (See attached tentative casing and cementing program for the Uinta Basin.)



United States Department of the Interior

Conservation Division 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

February 2, 1981

General Outline for the Protection and Isolation of Ground Water and Oil Shale in the Uinta Basin.

The oil shale occurs with varying thicknesses in most parts of the Uinta Basin and at varying depths. Ground water also occurs at varied depths above and below the Oil Shale. These ground waters have varying degrees of salinity. Nonetheless, drilling for hydrocarbon in the Uinta Basin should provide for the protection of the oil shale and the ground water if either is present.

The protection of the oil shale and the ground water can effectively be carried on through the design of an adequate casing and cementing program for each well drilled in the area.

In the Uinta Basin, water occurs mainly in the Uinta and the Green River formations. As drilling for hydrocarbon gets deeper into the crust of the earth, more ground water might be encountered and will be protected as it is encountered.

This notice's purpose is to attempt to lay the groundwork for a casing program and cementing program that will protect the oil shale and the ground water if present.

These programs are to be considered as guidelines. The specificity of casing depth, amount of cement and the depth of staging collars will be considered on an individual basis after a careful study of the logs of each individual well. Cementing from the bottom up is an economical solution if carefully conducted.

The casing and cementing program presented here as an example, will assume that fresh water was encountered in the upper parts of the Green River, that the oil shale occurs in the middle of the Green River (1000 foot section) and that some ground water is encountered in the lower parts of the Green River.

In this case, three areas will have to be cemented to assure the integrity of the ground water and oil shale. These areas are above the upper fresh water, across the oil shale and below the lower water aquifer. Deep aquifers that do not contain useful water are cemented to prevent water zone influence on production.

The following casing and cementing program will be appropriate for this example:

A. Surface casing is set at approximately 300 feet and cemented to the surface.

- B. The next casing string will be set at approximately 300 feet below the lowest aquifer. Cementing will be done in three stages, using two stage collars and cement baskets or equivalent as described below and on attached sketches:
 - 1. Cement first stage through the casing shoe to fill annulus back to base of lower aquifer.
 - 2. Place 1st stage collar (with cement basket immediately below) at a selected point at the base of the oil shale. Cement will have to reach top of oil shale.
 - 3. Place 2nd stage collar (with cement basket immediately below) 50 feet above the top of the Bird's Nest aquifer and cement to at least 300 feet above the stage collar.
- C. The above is an example. Reasonable equivalents that accomplish these same protective measures, (such as cementing the water zones instead of isolating them), depending on the individual cases will be considered for approval.
- D. When the above mentioned well is to be abandoned, inner-casing plugs will have to be placed at the same depth as the above mentioned annulus cement jobs.

The use of cement bond logs will verify the authenticity of the cement job performed.

E. The Operator of such well should notify U.S.G.S. 48 hours prior to commencement of casing and cementing activity, so a technician could be dispatched to witness the operations to verify compliance with casing and cementing program.

Attached Sketches:

- 1. Schematic of the required casing and cementing program.
- 2. Cross section of the Uinta Basin.
- 3. Schematic of the general ground water protection program.

E. W. Guynn District Oil and Gas Supervisor



P.O. BOX 467 GOLDEN, COLORADO 80401

May 9, 1983

Mr. Norm Stout State of Utah Division of Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, Utah 84114

Re: Ute Tribal 1-4
Section 4, T5S-R3W
Duchesne County, Utah
Request for Exception to Well Spacing

Dear Mr. Stout:

The purpose of this letter is to request an exception to the State of Utah Rule C-3, General Well Spacing Requirements. The Ute Tribal 1-4 is located 1331'FNL and 1277'FEL of Section 4, T5S-R3W. This location is 431' from the west border of the NENE of Section 4. (See attached survey plat)

Rule C-3(C)(1)

The explanation as to why our well was spotted within the 500' limit is due to topographic limitations. Due to the topograph, the present location was the best feasible location of the Ute Tribal 1-4 well pad within the NENE due to its closeness to the existing road causing minimal environmental damage. (See attached map)

Rule C-3(C)(2)

Also note that the ownership of all oil and gas leases within a radius of 660' of the location of the Ute Tribal 1-4 is common with the ownership of the oil and gas leases under the Ute Tribal 1-4 location. Please see attached Designation of Operator.



DIVISION OF OIL, GAS & MINING

Since Coors Energy Company is the operator of the farmout from Gulf 0il Company of the NE/4 of Section 4, Coors has control of the NE/4 of Section 4, T5S-R3W, Duchesne County, Utah.

Please call us if you find that you have any questions regarding our applications. Thank you.

Sincerely,

R. L. Martin Vice President

Oil & Gas Operations

RLM/RN:kr

cc: D. Sprague

R. Nelms

File

Enclosures

OPERATOR COORS ENCAGY CO	DATE <u> </u>
WELL NAME UTE TRIBAL 1-4	
SEC <u>NENE 4</u> T <u>55</u> R	3W COUNTY DUCHESNE
43-013-30762 API NUMBER	TYPE OF LEASE
POSTING CHECK OFF:	
INDEX	HL
NID	PI
MAP	
PROCESSING COMMENTS:	
NO OIL OR GOS WELLS ON	171/11/11 - 49/20
Request for unorthoder force	tion submitted on admin
- Lanton ance location	is on indian lease
APPROVAL LETTER:	
SPACING: A-3 UNIT	c-3-a CAUSE NO. & DATE
c-3-b	c-3-c
SPECIAL LANGUAGE:	

RECONCILE WELL NAME AND LOCATION ON APD AGAINST SAME DATA ON PLAT MAP.
AUTHENTICATE LEASE AND OPERATOR INFORMATION
VERIFY ADEQUATE AND PROPER BONDING FIED
AUTHENTICATE IF SITE IS IN A NAMED FIELD, ETC.
APPLY SPACING CONSIDERATION
ORDER
UNIT
c-3-b
c-3-c
CHECK DISTANCE TO NEAREST WELL.
CHECK OUTSTANDING OR OVERDUE REPORTS FOR OPERATOR'S OTHER WELLS.
IF POTASH DESIGNATED AREA, SPECIAL LANGUAGE ON APPROVAL LETTER
IF IN OIL SHALE DESIGNATED AREA, SPECIAL APPROVAL LANGUAGE.

-

Coors Energy Company
P. O. Box 467
Golden, Colorado 80401

RE: Well No. Ute Tribal 1-4
NENE Sec. 4, T.5S, R.3W,
1331 FNL, 1277 FEL
Duchesne County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to oil/gas well on said unorthodox location is hereby granted in accordance with Rule C-3(c), General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

RONALD J. FIRTH - Chief Petroleum Engineer

Office: 533-5771 Home: 571-6068

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-013-30762.

Sincerely,

of African

Norman C. Stout Administrative Assistant

NCS/as

cc: Oil & Gas Operatemns
Bureau of Indian Affiars

Enclosure

DIVISION OF OIL, GAS AND MINING


SPUDDING INFORMATION

NAME OF COMPANY: COORS ENERGY			
WELL NAME: Ute Tribal 1-4			
SECTION NENE 4 TOWNSHIP 5S	_ RANGE3W	COUNTYDuchesne	
DRILLING CONTRACTOR Coleman			
RIG #			
SPUDDED: DATE 5-30-83			
TIME 11:00 AM			
HowRotary_			
DRILLING WILL COMMENCE			
REPORTED BY Ralph Nelms	***		
TELEPHONE #			
NATF 5-31-83	SIGNED	RJF	

ENERGY OORS Company: RALPH NECMS Caller: Phone: Well Number: Location: State: Utach Duchesne County: Lease Number: Lease Expiration Date: Unit Name (If Applicable):____ \(\mathcal{N} \mathcal{A} \) Date & Time Spudded: May 30, 1983 Dry Hole Spudder/Rotary: ___ Ka Yavus Details of Spud (Hole, Casing, Cement, etc.) Rotary Rig Name & Number: Approximate Date Rotary Moves In: WITH SUNDRY Call Received By:

Date:

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR GAS AND MINING



————————————————————————————————————	DIVISION OF OIL, GA	S, AND WIN	ING	5. LEASE DESIGNATION AND SERIAL N
				TL3503
CHILID	NOTICES AND DE	DODTC O	N. 1. (P. 1. 6	6. IF INDIAN, ALLOTTES OR TRIBE NA
SUNURY (Do not use this form for Use "A	NOTICES AND RE	PORIS O pepen or plug ba for such pro	N WELLS ck to a different reservoir. possis.)	Ute Tribal
OIL XX WELL XX OT	HEE	· · · · · · · · · · · · · · · · · · ·		7. UNIT AGREEMENT NAME
NAME OF OPERATOR				8. FARM OR LEASE NAME
Coors Energy Comp	any	(303) 278	3-7030	Ute Tribal
ADDRESS OF OPERATOR	- 0-11- 00/0	0		9. WELL NO.
PO Box 467, Golde:	•			1-4 10. FIELD AND POOL, OR WILDCAT
See also space 17 below.) At surface 13	31'FNL, 1277'FEL,	Section 2	tate requirements.* -	Wildcat
				11. BEC., T., E., M., OR BLK. AND SURVEY OR AREA
. PERMIT NO.	111			Sec. 4, T5S-R3W 12. COUNTY OR PARISH 18. STATE
	15. BLEVATIONS (Sh	ow whether DF, 1	iT, GR, etc.)	Duchesne Utah
43-013-30762	5932 GL			
Chec	k Appropriate Box To	Indicate Na	ture of Notice, Report, or	Other Data
NOTICE OF	INTENTION TO:	1	SUBS	EQUENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	, 🗀	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*		SHOUTING OR ACIDIZING	ABANDON MENT*
i i	CHANGE PLANS	1 1 1	(Other) Progres	s report
REPAIR WELL	CHANGE FEATIS			ite of multiple completion on Wall
(Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.) * 30/83 Spudded 5/30,	ED OPERATIONS (Clearly statedirectionally drilled, give su /83 at 11:00AM.	٠	(Norg: Report resu Completion or Record defails, and give pertinent dat ns and measured and true ver	its of multiple completion on Well npiction Report and Log form.) es, including estimated date of starting a citical depths for all markers and zones per depth of the citical d
(Other) C. DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.) 30/83 Spudded 5/30, 31/83 Ran 10 joints	ED OPERATIONS (Clearly statedirectionally drilled, give su /83 at 11:00AM.	g, set at	(Norg: Report resu Completion or Record defails, and give pertinent dat ns and measured and true ver	
(Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joint: cement w/2% (ED OPERATIONS (Clearly stated directionally drilled, give su /83 at 11:00AM. s of 8-5/8" casing	g, set at	(Norg: Report resu Completion or Record defails, and give pertinent dat ns and measured and true ver	es, including estimated date of starting of italical depths for all markers and zones per
(Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joint: cement w/2% (ED OPERATIONS (Clearly stated directionally drilled, give su /83 at 11:00AM. s of 8-5/8" casing	g, set at	(Norg: Report resu Completion or Record defails, and give pertinent dat ns and measured and true ver	es, including estimated date of starting of italical depths for all markers and zones per
(Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joint: cement w/2% (ED OPERATIONS (Clearly stated directionally drilled, give su /83 at 11:00AM. s of 8-5/8" casing	g, set at	(Norg: Report resu Completion or Record defails, and give pertinent dat ns and measured and true ver	es, including estimated date of starting of italical depths for all markers and zones per
(Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joint: cement w/2% (ED OPERATIONS (Clearly stated directionally drilled, give su /83 at 11:00AM. s of 8-5/8" casing	g, set at	(Norg: Report resu Completion or Record defails, and give pertinent dat ns and measured and true ver	es, including estimated date of starting of iteal depths for all markers and zones per depths for all markers and zones per depths of Class B
(Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joint: cement w/2% (ED OPERATIONS (Clearly stated directionally drilled, give su /83 at 11:00AM. s of 8-5/8" casing	g, set at	(Norg: Report result (Completion or Record details, and give pertinent dates and measured and true versions and measured and true versions).	es, including estimated date of starting of clear depths for all markers and zones per depths for zones per depth
DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joints cement w/2% (eD OPERATIONS (Clearly state directionally drilled, give au /83 at 11:00AM. s of 8-5/8" casing CaCL, 1/4#/sk. ce.	g, set at lloflake.	(Norg: Report result Completion or Record Completion or Record Re	es, including estimated date of starting of iteal depths for all markers and zones per depths of Class B
Other) DESCRIBE PROPOSED OR COMPLET proposed work. If well is nent to this work.)* 30/83 Spudded 5/30, 31/83 Ran 10 joints cement w/2% (oing is true and correct	g, set at lloflake.	(Note: Report result (Completion or Record Completion or Record R	es, including estimated date of starting of iteal depths for all markers and zones per depths of Class B

st	IT IN TRIPLICAT	E*
(C	ther instructions on	
	reverse side)	

	STATE OF UTAH MENT OF NATURAL RE		ctions on	,
DIVISI	ON OF OIL, GAS, AND	MINING	5. LEASE DESIGNATION TL 3503	AND SERIAL NO.
SUNDRY NOT (Do not use this form for propo) Use "APPLICA"	ICES AND REPORTS sals to drill or to deepen or plu ATION FOR PERMIT—" for suc	ON WELLS ig back to a different reservoir.	6. IF INDIAN, ALLOTTED Ute Tribe	B OR TRIBE NAME
OIL XX GAS XX OTHER			7. UNIT AGREEMENT NA	MB
2. NAME OF OPERATOR Coors Energy Company		(303) 278-7030	8. FARM OR LEASE NAM Ute Tribal	18
3. ADDRESS OF OPERATOR PO Box 467, Golden, Color	ado 80402		9. WELL NO. 1-4	
4. LOCATION OF WELL (Report location of See also space 17 below.) At surface 1331 FNL,	learly and in accordance with a 1277' FEL, Sec. 4	any State requirements.*	Wildcat 11. EEC., T., R., M., OR B. WINDS OR AREA	
		•	Sec. 4, T5S-R	13 W
14. PERMIT NO.	15. BLEVATIONS (Show whether	DF, RT, GR, etc.)	12. COUNTY OR PARISH	18. STATE
43-013-30762	5932 GL		Duchesne	Utah
Check Ap	propriate Box To Indicate	Nature of Notice, Report, or C	Other Data	
NOTICE OF INTEN	TION TO:	PRESUR	ENT REPORT OF:	
FRACTURE TREAT	CULL OR ALTER CASING CULTIPLE COMPLETE BANDON® HANGE PLANS	WATER SHUT-OFF PRACTURE TREATMENT SHOUTING OR ACIDIZING Progress	RETAIRING W ALTERING CA ABANDONMEN	SING

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

(Other) _

6/14/83 TD 6698'.

REPAIR WELL

(Other)

6/15/83 Ran 171 joints $5\frac{1}{2}$ " 15.50# K55 STC casing, set at 6680'KB, FC at 6640'KB, cmt 1st stage w/900 sks of 50/50 pozmix, 10% salt, 2% gel. Cmt 2nd stage w/600 sks of low-density type G cement.

6/16-21 WOCT.

6/22/83 Ran 111 jts of tubing to 6388'

Perf'd from 6645-35', 6525-50', 6370-74' w/2JSPF, broke down w/2% KCL water. 6/23/83

6/24/83 Fraced well $\frac{w}{76,500}$ of $\frac{20}{40}$ sand, $\frac{36,050}{90}$ gals of Versagel.

6/25-29 Swabbing.



	DI OIL, G	VISION OF SAS & MINING
8. I hereby certify that the foregoing is true and correct SIGNED R. I. Martin (This space for Federal or State office use)	TITLE V.P. Oil/Gas Operations	DATE 6-29-83
CONDITAL 'S OF APPROVAL, IF ANY:	TITLE	DATE
	e Instructions on Reverse Side	•.

FILE IN TRIPLICATE FORM OGC-8-X

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116




REPORT OF WATER ENCOUNTERED DURING DRILLING


Well Name & Number <u>Ute Tribal 1-4</u>		
Operator Coors Fnergy Company		Golden, CO 80402
Contractor Coleman Drilling Co.	AddressFarmington, N.I	м.
Location SE 1/4 NE 1/4 Sec. 4		
Water Sands		
<u>Depth</u> Vol	ume	Quality
From To Flow Rat	e or Head	Fresh or Salty
1. _{NONE}		
2		
3		
4		
5		
(Continue of reve	erse side if necessary)	
Formation Tops Uintah Surface		
Green River 1620 Remarks		

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
 - (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING



DIVISION OF OIL, GAS, AND MINING	5. LEASE DESIGNATION AND SERIAL NO. TL 3503
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTES OR TRIBE NAME Ute Tribe
I. OIL (XX GAS []	7. UNIT AGREEMENT NAME
WELL WELL OTHER 2. NAME OF OPERATOR	S. FARM OR LEASE NAME
Coors Energy Company (303) 278-7030	Ute Tribal
3. ADDRESS OF OPERATOR	9. WELL NO.
PO Box 467, Golden, Colorado 80402	1-4
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements."	10. FIELD AND POOL, OR WILDCAT
At surface AUG 30 1933	Wildcat
1331'FNL, 1277'FEL, Section 4	11. BHC., T., R., M., OR BLE. AND SURVEY OR AREA
DIVISION OF	Sec. 4, T5S-R3W
14. PERMIT NO. 15. BLEVATIONS (Show whether op. 17. On. orb.)	12. COUNTY OR PARISH 18. STATE
43-013-30762 5932 GL	Duchesne Utah
16. Check Appropriate Box To Indicate Nature of Notice, Report,	or Other Data
	PRESCUENT APPORT OF:
	REPAIRING WELL
TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF FRACTURE TREAT MULTIPLE COMPLETE FRACTURE TREATMENT	ALTERING CASING
ALLOWED OF ACIDIZING	ARANDONMENT*
OFFICE WELL CHANGE PLANS (Other)	ress report & 1st. production
Mores Pennet F	esuits of multiple completion on Well completion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent proposed work. If well is directionally drilled, give subsurface locations and measured and true v	detay lockeding estimated date of starting any
6/30/83 Set Mtn. States RBP at 6340'KB, spotted 500 gals of 7½ Perf'd as follows: 6133-40', 6160-67', 6172-74', 6190-6253-54', 6269-71', 6285-86', 6311-12' and 6325-26'. 7/1/83 Fraced perfs w/90,000# of sand and 41,000 gals of gel 7/2-7/9/83 Swabbing.	-91', 6229-31', 6248-49',
7/10- 8/7/83 Installing pump, rods and surface facilities.	
8/8/83 First day of production: 8/8/83 at 8:20AM.	
Sales will be made to: Getty Oil Company PO Box 416 Roosevelt, Utah 84066	
8/9- 8/24/83 This well is presently pump testing.	
18. I hereby certify that the foregoing is true and correct	
SIGNED RITLE V.P. 011/Gas Operatio	ns DATE 8-24-83
R. L. Martin (This space for Federal or State office use)	
Trus shace for vestater or prete omce ess.	
APPROVED BY TITLE	DATE



DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING 5. LEASE DESIGNATION AND SERIAL NO. TL3503 6. IF INDIAN, ALLOTTES OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) Ute Tribe 7. UNIT AGREEMENT NAME WELL X Well Well OTHER 2. NAME OF OPERATOR 8. FARM OR LEASE NAME Coors Energy Company Ute Tribal 3. ADDRESS OF OFSEATOR 9. WELL NO. P.O. Box 467, Golden, Colorado 80402 1 - 4LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)
At surface 10. FIELD AND POOL, OR WILDCAT Wildcat 11. SSC., T., R., M., OR BLK. AND SURVEY OR AREA 1331' FNL, 1277' FEL, Section 4 Sec. 4, T5S-R3W 14. PERMIT NO. 15. SLEVATIONS (Show whether DF, RT, QR, etc.) 12. COUNTY OR PARISM! 18. STATE 43-013-30762 5932' GL Duchesne Utah 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING WATER SHUT-OFF REPAIRING WELL FRACTURE TREAT MULTIPLE COMPLETE PRACTURE TREATMENT ALTERING CASING SHOOT OR ACIDIZE ABANDON* SHOUTING OR ACIDIZING ABANDONMENT[®] Progress Report REPAIR WELL CHANGE PLANS (NOTE: Report results of multiple completion on Weil Completion or Recompletion Report and Log form.) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 8/25 to 9/6/83 Pump testing. Set RBP at 5985', spotted 10 bbls of 7½% HCL acid across perf interval. 9/7/83 Perf'd at 5715, 21, 25, 29, 33, 43'; 5800, 02, 04, 36, 40, 43, 46' totaling 13 shots. Fraced w/100,716# 20/40 sand, 944 bbls X-link gel water at 40/50#/1000 gal. 9/8/83 Well flowing to pit. 9/9/83

81GNED R.L. Martin	TITLE VP Oil/Gas Operations	September 9, 1983
(This space for Federal or State office use)		
APPROVED BY	TITLE	DATE



September 9, 1983

Mr. Norm Stout State of Utah Division of Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, Utah 84114

Re: Sundry Notices

Dear Mr. Stout:

Attached please find copies of the Sundry Notices for the following wells:

Ute Tribal 1-4
Ute Tribal 1-5

Thank you very much.

Very truly yours,

Karen Rohrer Production Secretary

KR/ct

Attachments

Con Constitution of the Co	Tri cristan	DESIGNATION	VND	BERIAL	NO.

		RAL RESOURCES	
	DIVISION OF OIL, GAS	, AND MINING	LEASE DESIGNATION AND SERIAL NO.
		3 199	ВЭ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
CII	NDRY NOTICES AND RE		SOIP INDIAN, ALLOTTER OR TRIBE NAME
	is form for proposals to drill or to deep		. Ute Tribe
	Use "APPLICATION FOR PERMIT-	pen or plug back to a different reservois.	A STATE OF THE STA
1.			7. UNIT AGREEMENT NAME
MART MART	OTHER	A distribution of the second	
2. NAME OF OPERATOR			8. FARM OR LEASE NAME
Coors Energ	y Company	(303) 278-7030	Ute Tribal
3. ADDRESS OF OPERAT	03		9. WELL NO.
	Golden, Colorado 80402	•	1-4
4. LOCATION OF WELL See also space 17 be	(Report location clearly and in accordan	ce with any State requirements.	10. FIELD AND POOL, OR WILDCAT
At surface			Wildcat
133	1'FNL, 1277'FEL, Sec. 4		11. SPC., T., R., M., OR BLX. AND SURVEY OR AREA
			Sec. 4, T5S-R3W
14. PERMIT NO.	I. REPVATIONS (Sho	w whether DF, ST, GR, etc.)	12. COUNTY OR PARISM 18. STATE
43-013-3076		5932 GL	Duchesne Utah
-		· · · · · · · · · · · · · · · · · · ·	
, 6.	Check Appropriate Box To 1	Indicate Nature of Notice, Report, or	Other Data
	NOTICE OF INTENTION TO:	}	QUBRT EBPORT OF:
TEST :WATER : SEUT	OFF. PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT		PRACTURE TREATMENT	ALTERING CASING
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	
FRACTURE TREAT SHOOT OR ACIDIZE	MULTIPLE COMPLETE ABANDON®	SHOUTING OR ACIDIZING	ABANDONMENT*
FRACTURE TREAT	MULTIPLE COMPLETE	SHOUTING OR ACIDIZING (Other) Progres (Note: Report resul	ALTERING CABING ABANUONMENT* S Report ts of multiple completion on Well
FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPORED O	MULTIPLE COMPLETE ABANDON® CHANGE PLANS DE COMPLETED OPERATIONS (Clearly state of well is directionally drilled, give sub-	SHOUTING OR ACIDIZING (Other) Progres (Note: Report resul	ALTERING CASING ABANDONMENTS S Report ts of multiple completion on Well pletion Report and Log form.) w, including estimated date of starting any
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED O Proposed work. I nent to this work.)	MULTIPLE COMPLETE ABANDON® CHANGE PLANS DE COMPLETED OPERATIONS (Clearly state of well is directionally drilled, give sub-	amouting on acidizing (Other) Progress (Note: Report resul ('ompletion or Recom	ALTERING CASING ABANDONMENTS S Report ts of multiple completion on Well pletion Report and Log form.) w, including estimated date of starting any
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED Of proposed work.	MULTIPLE COMPLETE ABANDON® CHANGE PLANS DE COMPLETED OPERATIONS (Clearly state of well is directionally drilled, give sub-	amouting or acidizing (Other) Progress (Notz: Report result ("ompletion or Recommal pertinent details, and give pertinent date surface locations and measured and true vertinent date surface locations are surface locations and measured and true vertinent date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations are surface locations and date surface locations are surface locations and date su	ALTERING CASING ABANDONMENTS S Report ts of multiple completion on Well pletion Report and Log form.) w, including estimated date of starting any
FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPORED of proposed work. I nent to this work.) 9/10 to	MULTIPLE COMPLETE ABANDON® CHANGE PLANS OR COMPLETED OPERATIONS (Clearly state f well is directionally drilled, give subs	amouting or acidizing (Other) Progress (Notz: Report result ("ompletion or Recommal pertinent details, and give pertinent date surface locations and measured and true vertinent date surface locations are surface locations and measured and true vertinent date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations are surface locations and date surface locations are surface locations and date su	ALTERING CASING ABANDONMENTS S Report ts of multiple completion on Well pletion Report and Log form.) w, including estimated date of starting any
FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED O proposed work. I nent to this work.) 9/10 to 9/15/83	MULTIPLE COMPLETE ABANDON® CHANGE PLANA OR COMPLETED OPERATIONS (Clearly state f well is directionally drilled, give subs Flowing & swabbing we	shouting on acidizing (Other) Progres. (Note: Report result ('ompletion or Recom all pertinent details, and give pertinent date surface locations and measured and true vertical).	ALTERING CASING ABANDONMENTS S Report ts of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting any leal depths for all markers and zones perti-
FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED (proposed work.) 9/10 to 9/15/83 9/16 to	MULTIPLE COMPLETE ABANDON® CHANGE PLANA THE COMPLETED OPERATIONS (Clearly state well is directionally drilled, give substituted and state of well is directionally drilled, give substituted and state of well as the state of the complete o	amouting or acidizing (Other) Progress (Notz: Report result ("ompletion or Recommal pertinent details, and give pertinent date surface locations and measured and true vertinent date surface locations are surface locations and measured and true vertinent date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations and measured and date surface locations are surface locations are surface locations and date surface locations are surface locations and date su	ALTERING CASING ABANDONMENT* S. Report ts of multiple completion on Well pletion Report and Log form.) s. including estimated date of starting any loal depths for all markers and zones perti-
FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED of proposed work. I nent to this work.) 9/10 to 9/15/83 9/16 to 10/15/83	MULTIPLE COMPLETE ABANDON® CHANGE PLANS THE COMPLETED OPERATIONS (Clearly state of well is directionally drilled, give substance) Flowing & swabbing well as RU Welex Company, set	shouting on acidizing (Other) Progress (Note: Report resulting of Recommendation of Recommendate surface locations and measured and true vertical). and waiting to open additional	ALTERING CABING ABANDONMENT* S Report ts of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting any cal depths for all markers and zones perti-
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED of proposed work. I nent to this work.) 9/10 to 9/15/83 9/16 to 10/15/83 10/16/83	MULTIPLE COMPLETE ABANDON® CHANGE PLANS THE COMPLETED OPERATIONS (Clearly state of well is directionally drilled, give substance) Flowing & swabbing well as RU Welex Company, set	all. and waiting to open additions. RBP at 5630', perf'd from !	ALTERING CABING ABANDONMENT* S Report ts of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting any cal depths for all markers and zones perti-
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPORED of proposed work. I nent to this work.) 9/10 to 9/15/83 9/16 to 10/15/83 10/16/83 10/17/83	MULTIPLE COMPLETE ABANDON® CHANGE PLANS THE COMPLETED OPERATIONS (Clearly state of well is directionally drilled, give substance) Flowing & swabbing well as RU Welex Company, set	all. and waiting to open additions. RBP at 5630', perf'd from !	ALTERING CABING ABANDONMENT* S Report ts of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting any cal depths for all markers and zones perti-
78ACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED of proposed work. I nent to this work.) 9/10 to 9/15/83 9/16 to 10/15/83 10/16/83 10/17/83 10/18 to	PR COMPLETED OPERATIONS (Clearly state f well is directionally drilled, give substituted of the state of well is directionally drilled, give substituted of the state of the s	all. and waiting to open additions. RBP at 5630', perf'd from !	ALTERING CABING ABANDONMENT* S Report ts of multiple completion on Well pletion Report and Log form.) s, including estimated date of starting any cal depths for all markers and zones perti-
7. DESCRIBE PROPOSED O Proposed work. I nent to this work.) 9/10 to 9/15/83 9/16 to 10/15/83 10/16/83 10/16/83 10/17/83 10/18 to 10/22/83	PR COMPLETED OPERATIONS (Clearly state f well is directionally drilled, give substituted of the state of well is directionally drilled, give substituted of the state of the s	and waiting to open additions: RBP at 5630', perf'd from 50% of 20/40 sand, 1,030 bbls	ALTERING CASING ABANDONMENT* Is of multiple completion on Well pletion Report and Log form.) Including estimated date of starting any cal depths for all markers and zones perti-

18. I hereby certify that the foregoing is true and correct		·
8IGNED Ratio	TITLE V.P. 0il/Gas Operations	DATE 10-28-83
(This space for Federal or State office use)		
APPROVED BY	TITLE	DATE


STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
1588 West North Temple
Salt Lake City, Utah 84116

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number <u>Ute Tribal 1-4</u>	
Operator Coors Energy Company Address PO Box 467,	Golden, Co. 80402
Contractor Olsen Drilling Company Address 1616 Glenar	
Location NE 1/4 NE 1/4 Sec. 4 T. 5S R. 3W	
Water Sands	
<u>Depth</u> <u>Volume</u>	Quality
From To Flow Rate or Head	Fresh or Salty
1None	
2	
3	
4	
5	
(Continue of reverse side if necessary)	
Formation Tops	
	-21983
Remarks AN. OF O	IL GAS & The state of the state
NOTE: (a) Report on this form as provided for in Rule C-1 and Regulations and Rules of Practice and Proce	20. General Rules
(b) If a water analysis has been made of the above	reported zone,

please forward a copy along with this form.

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING



	DIV	ISION OF OIL, GAS	, AND MINI	NG	1	0-H62-3503	IRIAL NO.
(De r	SUNDRY No	OTICES AND RE	PORTS O	N WELLS the to a different reservoir.	6. IF IN	oras, allottes on the Tribe	HER MAM
1. or /	3 000		101 3400 PIV		7. UNIT	EMAN THEMESEDA	
Warr M	WELL OTHE	8				<u>.</u>	
2. NAME OF			(303) 27	7020	1	OR LEASE NAME	
3. ADDRESS C	rs Energy Compa	шіу	(303) 27	0-7030	9. Walt	Tribal	
PO E	Box 467, Golden	, Colorado 8040	02		1-4		
4. LOCATION	or wall (Report location page 17 below.)	on clearly and in accordan	ce with any St	ate requirements.		AND POOL, OR WILD	CAT
At surface		77 1 72 PT - C /-		· ·		lope Creek	
	1331 FINL, 12/	7'FEL, Sec. 4		!	11. anc.,	T., R., M., OR BLX. AND RVBY OR ARBA	•
				•	Sec.	4, T5S-R3W	
14. PERMIT NO		15. BLBYATIONS (Sho	w whether pr. m	r, CR, etc.)	I I	TT OR PARISM 18	TATE
43-0)13-30762		5932 'GL		Duche	esne Uta	h
16.	Check	Appropriate Box To	Indicate Nat	ure of Notice, Report, o	or Other Date	a	
	NOTICE OF IN	OT MOITHET	1	AUB	ROTER THEUDER	7 07:	
TEST .WAT	22.5202-077	PULL OR ALTER CASING		WATER SHUT-OFF		REPAIRING WELL	
PRACTURE	TREAT	MULTIPLE COMPLETE		PRACTURE TREATMENT		ALTERING CASING	
SHOOT OR	ACIDIZE	ABANDON®		SHOUTING OR ACIDIZING		ABANDONMENT*	
REPAIR W	ELL	CHANGE PLANS	\vdash	(NOTE: Report res	ess Report	completion on Well	
(Other)	DIMOSED OF CLAMPIETED	COPPLETIONS (Clausly stute	ull purripant d	Completion or Reco	mpletion Repor	t and Log form.)	
10/28 to 11/17/83 11/18/83 11/19 to 11/25/83 11/26/83 11/27/83- 12/3/83 12/4- 12/7/83 12/8/83	wo frac. Fraced well w Swabbing. TIH w/tubing,	63' & perforated /36,000# of 20/4	from 543 sand an		w/4 JSPF.	cion again.	
SIGNED R	Martin e for Federal or State	office use)	ITLE V.P. O	il/Gas Operations	DA1		73
APPROVE	S OF APPROVAL, II					4	

STATE OF UTAH STATE OF UTAH OF ONE OF OIL GAS AND MINING SUBMIT IT (See out on recover)

SUBMIT IN DISCATE*
(See other inshibitions
on reverse side)

Page 3/3 56 64 01

	DIVISION O	F OIL,	GAS, AN	ID MINING	•				ESIGNATION AND BERIAL NO.
	<u> </u>								503 M. ALLOTTER OR TRIPE NAME
				MPLETION	REPORT	AND LC)G *	1	Tribe
ia. TYPE OF WE		WELL X	K GYZ	DAT [Other	190			ERMENT NAME
NEW XX	WORK [DEEP-	PLUG [DIFF.				S 718 W 03	LEASE NAME
L NAME OF OPERA		EN L	DACK L	RESVA. L_	Other				Tribal
Coors Ener	ev Compan	V		(.	303) 278-	7030		9. WELL NO	·
L ADDRESS OF OP	ERATOR						• • • • • • • • • • • • • • • • • • • •	1-4	
PO Box 467	7, Golden,	Colo	rado 8	0402	ana Ganta manus				ND POOL OR WILDCAT
				ec. 4, NE/		emente) -	•		elope Creek
	terval reported	•		· · · · · · · · · · · · · · · · · · ·				OR ARBA	-No.
At total depth	same				· .	•		Sec	4, T5S-R3W
At total depth				14. PERMIT NO	0.	DATE ISSUED		12. COUNTY	OR A 1 13. STATE
lameralianting all as	same	e lasta	- e ⁻ -		-30762		/83	Duchesr	ぶきを到る立じ。
DATE SPUDDED	16. DATE T.D.	REACHE	D 17. DATE	COMPL. (Ready	7			T, GR, ETC.)*	19. BLEV. CASINGHEAD
								7 3 3 T	
TOTAL DEPTH, MD	21. 7	LUE, BACK	7.D., MD & 1		LTIPLE COMPL., MANY	23. IN	LLED BY	ROTARY TOO	CABLE TOOLS
PRODUCING INTE	RVAL(S), OF TH	S COMPL	ETION—TOP,	BOTTOM, NAME ((MD AND TVD)*		->	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25. WAS DIRECTIONAL
	e e Carron e				- <u>- 2</u>				SURVEY MADE
	<u> </u>		 						Agent
TIPE ELECTRIC	AND OTHER LOGI	RUN							27. WAS WELL CORED
			CASTI	VG RECORD (Re	most all atriage	ant in analth			
CASING SIZE	WEIGHT, LI	JFT.	DEPTH SET		OFS SIZE		MENTING I	ECORD	AMOUNT PULLED
					•			•	
						· · ·		· · · · ·	
	· • · · · · · · · · · · · · · · · · · ·	LINER	RECORD	<u></u>	<u></u>	30.	T	UBING RECO	ORD .
SIZE	TOP (MD)	BOTTO	M (MD)	SACKS CEMENT.	SCREEN (MD) 5122		BPTH SET (M	
PERFORATION REC	Conn (Internal	ire and	- 		1 22				
	(2,000,000,		,		DEPTH INTE				SQUEEZE, ETC.
Re-perfora					5422-553				sand, 584 bbls
5477-92' w				d from					
5438-58' & 12 gram, 0		W/4	JSPF						
12 gram, 0	7.30	<u>.</u>		PRO	DUCTION		<u> </u>		
FIRST PRODUCTI	ION PRO	UCTION I	METHOD (FI	oroing, gas lift, p		nd type of pun	1 p)		STATUS (Producing or
8/8/83	Pin	mnine.	. 1½ x.2	2½'' x 16' ı	rod pump			shut	Producing
B OF TRAT	HOURS TESTED		OKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BAL.	GAR—H		WATER-BBL.	1
12/16/83	CASING PRESSU	77 641	LCULATED	OIL-BBL.	80 GAS-M	<u> </u>			400
			ROUR RATE	1	1		WATER-I	I II be	OIL GRAVITY-API (CORR.)
A5 DISPOSITION OF GA	<u> 180</u> LB (Sold, used fo	r juel, ve	nted, etc.)	1 80	<u> </u>	32		TEST WITHES	
Vented					•	;		Doug Spr	ague
LIST OF ATTACEM	(ENTS	1:							
I hereby certify	\mathcal{A}	ne		amatta ta a	lata and anne		4		
. wereny certuy	CHER THE TOTAL	ug and a	treped info			;			
SIGNED	Martin	u		TITLE V	.P. 0i1/Ga	s Operat	ions	DATE	12-16-83
	CICIL LALL								

INSTRUCTIONS

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal i: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements.

Consult local State item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

It this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing Interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified. "Sacks Cement": Attached supplemental records for this well show the details of any multiple stage cementing and the location of the cementing tool.

item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF DEPTH INTERVAL TESTED, CUSH	IMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THRESOF; DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING	CORITY AND CONTRI USED, TIME TOOL O		CORED INTERVALS; AND ALL DRILL-STEM TRETS, INCLUDING AND SHUT-IN TRESSURES, AND RECOTERING	M TRETS, INCLUDING	28. GEOI	GEOLOGIC MARKERS	
FORMATION	70F	BOTTOM		DESCRIPTION, CONTENTS, STC.				
Green River:	1636		· .			MAN	MEAS. DEPTH	TRUB VERT. DEFTE
Green River,			·					
raracinte Creek:	3020'							
Green River, Garden								
Gulch:	3760'							
Green River, Imper		•	* . · ·					
Douglas Creek:	4800	•						
						· 特.	*- 1-	<u> </u>
•		* * *	-			1-00		<i>j</i>

STATE C. UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS. AND MINING

SUBMIT IN DU ATE*
(See other instractions
on reverse side)

Page 1 of 3 56 64 01

		J. J.J,	C, ,					•		ı	•	DESI	UNATION AND SERIAL	NO.
WELL C	OMPLETIC	ON OR	RECO	DAADI I	TION	DEDOD	TA	ND I	>C *		3503	IAN,	ALLOTTES OR TRIBE NA	ME
1a. TYPE OF W	ELL:	OIL WELL					IA	ND L	<u> </u>	<u>—ut</u>	e Tri	bе	<u> </u>	
L TYPE OF CO	OMPLETION:	WELL (A)	WELL	. []	DRT 🗀	Other				$- ^{\overline{\tau}}$	UNIT A	CREE	MENT NAME	
NEW XX	WORK OVER	DEEP.	PLUG		EBVR.	Other					- PARM (OR LE	ASE NAME	_
2. NAME OF OPE	RATOR					Other				=_				
Coors Ene	rgy Compar	ıy			(303)	278-703	0		Paramot I	======================================	e Tri	10.		
3. ADDRESS OF O		· CO	004	00		同同	(A)		旦	77_				
4. LOCATION OF W	467, Golde	ation clea	804	J accords	see with a	Paradian		manual man					POOL, OR WILDCAT	
At surface]	331'FNL, 1	277'FE	L. Se	c. 4,	NE/4		חבר	2 1 196	B	, , , ,			Creek w., on block and subv	=
	nterval reported	•	•	-	•		i.	L 1 10-			OR ARI	BA		
Si At total depth	ame					IN M	e cell	, eas e	Fasta	23				
	ame			14.	PERMIT NO	CW. U	r U.L	, Citable	828300	<u>>e</u>	C. 4,		S-R3W -	_
And the section of th	والمنافض المنبر المداركي	1 2000	٠	43-	013-30	762	1	/12/83		Due	chesn	e	Utah	
15. DATE SPUDDED			17. DA	TE COMPL	. (Ready								9. BLEV. CARINGHEAD	-
5/30/83 20. TOTAL DEPTH. MI		4/83		8/8/			<u>:</u>		2' G					_
6698'	21.	664		ן פעד	HOW 2	LTIPLE COMI	PL.,		TERVALI	•	5698 I	OLS	CABLE TOOLS	-
24. PRODUCING INT	ERVAL(S), OF TH	IS COMPLE	+) Tion—to	P. BOTTON	I, NAME (MD AND TVD)•	<u> </u>	<u>→</u>	10-0	0690		25. WAS DIRECTIONAL	_
						- A- - 1, - 1	•			•			SURVEY MADE	
<u>5422</u> -6645			River			303	<u>.</u>		! .				No	
CBL DIL	Market Street	B RUN				}- }} } } }						27.	WAS WELL CORED	-
COL PAULLY	CIVO /		CAS	ING PEC	OPD (Pa	port all strin		(<u> </u>	No	-
CASING SIZE	WEIGHT, L	8./FT.	DEPTH 3	ET (MD)		LE SIZE	go ser i		MENTIN	G RECOI	LD.		AMOUNT PULLED	
8-5/8"	24.0		416		1	2-1/4"			35	0 sks	5		-	-
5-1/2"	15.5	0#	6680.	KB		7-7/8"			150) sks	5		_	-
· · · · · · · · · · · · · · · · · · ·					-		_							-
19.		LINER	RECORD	,	<u> </u>			30.		TTTDT	NG REC	<u> </u>	<u> </u>	
SIZE	TOP (ND)	BOTTON	(MD)	BACKE C	BMENT*	SCREEN (MD)	SIZE			SET ()		PACKER SET (MD)	•
								2-7/	3"- -		20'		120000	-
1. PERFORATION RE	CORD (Interval.	dire and n	was heer's	1				EUE J						
6370'-6645				ehote		32.							UEEZE, ETC.	
0370 -0043	20311	COCCAL	46 / 0	SHOES		6370-66		(MD)					, 36,050 dals	of
6133' - 63	26' total:	ing 52	shots	ı						agel	20/ 10		-, 00,000 ga 1	
		•				6133-63	326'				7-1/	2%	acid, 90,000#	[
3.•				_	BROE	UCTION			sand	1, 41	,000	ga 1	s gel water	
ATR FIRST PRODUCT	ION PRO	DUCTION M	ETHOD (F	lowing, g		mping—eise	and to	pe of pun	(p)		WELL	BTAT	UR (Producing or	
	IIRD, P											t-in)		
ATE OF TEST	HOURS TESTED	СНО	KE SIZE		N. FOR PERIOD	OIL-BEL.		GAS-HC	7.	WAT	ER-BBL		GAS-OIL RATIO	
OW. TUBING PRESS.	CASING PRESS	PE CAT	ULATED	011—	>	<u> </u>								
			OUR RATI	· ""	SSL.	GAS-	MCF.	1	WATER-	—BBL.		OIL	GRAVITY-API (CORR.)	
. DISPOSITION OF G	AB (Bold, used fo	r fuel, ven	ted, etc.)			!				TEST	WITHES	SED I	DY	
LIST OF ATTACE)	HENTH							· · · · · · · · · · · · · · · · · · ·					•	
. I hereby certify	that the foregoi	ng and at	ached in	formation	is comple	ete and ma-	ect se	datar-le -	4 4	-11				
					tompi	mad CVII	45	∾efel m 10€	n 11.023	AII AVA	HADIE TO	ecords		
SIGNED			· · · · · · · · · · · · · · · · · · ·	_ TIT	LE		·				DATE			
	*(Se	e Instruct	ions an	d Space	s for A	dditional l	Data 4	on Reve	te Sid	-)	<u>_</u>			
	•								510	-/				

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

SUBMIT IN DUI ATE*
(See other instructions
on reverse side)

Page 2 of 3 56 64 01

-	DIVISI	ON OF	OIL,	, GAS, A	ND N	MINING			¥			TL35		ATION AND BERIAL NO.
WELL CO	OMPI I	ETION		DECO	AAD	I ETION	DEDORT		UD I O	G*	6.	IF INDI	AN, AL	LOTISE OR TRISE NAME
1a. TYPE OF WI								AI	ND LO	G	— r	Ute	-	
L TYPE OF CO			XX	GAS	لـا	DAT	Other				7.	UNIT AC	REEM	INT NAME
NEW XX	WORK		EP. [PLUG		DIFF.	Other				S. 1	PARM O	R LEAS	B NAME
2. NAME OF OPER					=					-	-	Ute	Trib	al
Coors Ene		mpany			<u>. </u>		(303) 27	8-7	030	-		WELL N		
P.O. Box		olden	Co	lorado	R	0402				.;		1-4		OOL, OR WILDCAT
4. LOCATION OF W			-				ny State requ	ireme	nta)*		-	4		creek
At surface									•	ł:	11.	<u> </u>	, B., M	. OR BLOCK AND SURVEY
At top prod. is	nterval re	ported be	elow							100				
At total depth						,						Sec.	4.	T5S-R3W
_						4. PERMIT NO		DATI	I ISSUED		_1	COUNTY	08	
en, inderendantentitieraanse en								5	/12/83			Duch	esne	E Utah
5. DATE SPUDDED	16. DA	ATE T.D. J	REACHE	17. DAT	E COM	IPL. (Ready t	to prod.) 1	8. ELI	EVATIONS (df, RKB,	RT, GR,	ETC.)*	19	BLEV. CASINGREAD
O. TOTAL DEPTH. MI	A TYP	21. PLU	G. BAC	K T.D., MD &	779	1 22, IF MUL	TIPLE COMPL		1 23, INT	ERVALS	8.01	ARY TO	OLS -	CABLE TOOLS
						K WOK	(ANY®		DRI	LLED BY	,	÷ .		
4. PRODUCING INT	ERVAL(S),	OF THIS	COMP	LETION—TO	, BOT	TOM, NAME (MD AND TYD)	•				j .	7-	25. WAS DIRECTIONAL SURVEY MADS
													1.	
6. TIPE ELECTRIC	AND OTH	RR LOGB	BUM									fi sm T	1 27.	WAS WELL CORED
			-											
5.			•	CAS	ING E	ECORD (Rep	ort all string	e set	in well)				<u>' </u>	
CASING SIZE	WEI	GHT, LB.	77.	DEPTH SI	T (M	D) HO	LE SIZE		. CE	MENTING	RECOR	D		AMOUNT PULLED
	_						· .	-			\$9	<u> </u>		-
								╢		.				·
	_							╢						
9.			LINE	R RECORD					30.		TUBIN	G REC	ORD	
SIZE	TOP (MD)	BOTT	OM (MD)	BACK	E CEMENT.	SCREEN (M	D)	8128	_	DEPTH	SET (MD)	PACKER SET (MD)
	+									_				
1. PERFORATION RE	CORD (In	terval, si	re and	number)	<u>'</u>		32.	A	CID, SHOT	FRACT	URE.	CEMEN	T SQ	JEEZE, ETC.
Perf'd 57	15-584	6' w/	13 s	hots			DEPTH IN							MATERIAL USED
							5715-5	846						ICL acid, 100,7 bbls X-link ge
Perf'd 547	77 – 553	6' w/]	l6 sl	nots		4	5477-5	526	1					and, $1,030 \text{ bb1}$
		•					-34/1-3	<u> </u>		X-1i				
3.•							DUCTION			1.				
ATE FIRST PRODUC	KOL	1				og, gas lift, pr				np)		l abo	49-4-6	us (Producing or
8/8/83	HOURS	PUI		g, - /		x 2-1/2"	X 10 I	oa	pump	· · · · · · · · · · · · · · · · · · ·	WAT	ER-BB	dűći	GAS-OIL RATIO
SEE THIR	1					EST PERIOD					1			
LOW. TUBING PROCE.		PRESSUR		ALCULATED		IL—BBL.	GAS-	MCF.	<u>.</u>	WATER-	-336.		OIL	DRAVITY-API (CORR.)
	<u></u>			>						i				
4. DISPOSITION OF	GAB (Sold	, used for	fuel, v	ented, etc.)					•		TEST	MITHE	SSED !) T
Vented 5. LIST OF ATTACE	MENTS			<u> </u>				·			<u> </u>			
														·
6. I hereby certify	that the	foregoin	gand	attached in	forms	tion is compl	lete and corr	ect as	determine	d from	all ave	ilable	record	•
410225												.	_	
SIGNED	*****	·········				TITLE						DAT.	E	

*(See Instructions and Spaces for Additional Data on Reverse Side)



December 20, 1983

Mr. Ronald Firth Utah Board of Oil, Gas & Mining 4241 State Office Bldg. Salt Lake City, Utah 84114

Re: Letter of Request to Vent Gas Ute Tribal 1-4 Section 4, T5S-R3W Duchesne County, Utah API #43-013-30762 SESSION STATE

DIVISION OF GNL. GAS & MINING

Dear Mr. Firth:

Coors Energy Company, in accordance with Rule C-27, requests permission from the State of Utah to vent dissolved gas produced from the Ute Tribal 1-4. A GOR test indicates 32 MCF/day is being vented. Onsite usage of natural gas for the production facilities is 15 MCF/day. Daily production during the stabilized test period was 80 BO.

At present, there is no gas gathering system in the vicinity of this lease. The nearest gas pipeline is nine (9) miles east of the subject well. This pipeline is owned by Mountain Fuel Supply Co., and we were informed by their Gas Purchasing Department that they are not purchasing gas at this time. The only other pipeline is 24 miles northwest of the subject well. This pipeline is operated by Koch; however, the distance to this pipeline makes it economically unfeasible.

The estimated value of the gas is \$2.84/MCF based on December, 1983 FERC 103 prices. Estimated gas reserves from the present completion interval of subject well are 21 MMCF. Pipeline construction costs are estimated at \$30,000-\$50,000/mile.

OF UTAH DIVISION OF OIL, GAS, AND MINING ADDRESS BY:

When the gas market improves, and future drilling proves up sufficient reserves, Coors will evaluate various alternatives for an economical gas market.

Your consideration in this request will be greatly appreciated.

Very truly yours,

D. S. Sprague

Manager

Oil & Gas Operations

DSS:kr

cc: R. Nelms

M.E. Tennyson

File



Scott M. Matheson, Governor Temple A. Reynolds. Executive Director Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 31, 1984

Coors Energy Company P.O. Box 467 Golden CO 80401

> RE: Well No. Ute Tribal #1-4 API #43-013-30762 1331' FNL, 1277' FEL NE/NE Sec. 4, T. 5S, R. 3W Duchesne County, Utah

Gentlemen:

According to our records, a 'Well Completion Report' filed with this office December 16, 1983 on the above referred to well, indicates the following electric logs were run: CBL, DIL and CND. As of todays date, this office has not received these logs.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our agency.

Your prompt attention to the above will be greatly appreciated.

Respectfully,

Claudia Jones

Well Records Specialist

Claudea Jones

U/cj



P.O. BOX 467 GOLDEN, COLORADO 80401

February 7, 1984

State of Utah Natural Resources 4241 State Office Bldg. Salt Lake City, Utah 84114

Attn: Ms. Claudia Jones

Dear Claudia:

As per your request, I have enclosed copies of the Compensated Neutron Density, Micro Seismogram Log-Cased Hole and Dual Guard Forxo logs for the following wells:

Ute Tribal 1-4 Section 4, T5S-R3W Ute Tribal 2-9 Section 9, T5S-R3W

Duchesne County, Utah

I hope these will satisfy your requirements. If you find that you are in need of any further information, please let us know. Thank you.

Very truly yours,

Karen Rohrer

Production Secretary

KR

Enclosures

STATE OF UTAH

SUBMIT IN DUPL (See other instruction on reverse side)

	Page	4	OT	4	
ructions			56	64	01

-		OF NATURA OIL, GAS, A				on	LEACIZE PIO	: : :	14-20-	-H62	
WELL CO	MPLETION	OR RECC	MPLET	ION	REPORT	A	ND LC)G*	6. IF INDIA		OTTES OR TRIBE HAM
1s. TYPE OF WE	LL: OI	L XX GAS		🗆	Other				7. UNIT AOR		
L TYPE OF COL			_								
MELT NEW	OVER ALL ES	EP- PLOG	DIP?		Other				S. FARM OR		- ·
2. NAME OF OPERA	•								Ute Tr		1
J. ADDRESS OF OPE	rgy Compan	У	·		RE	C	EIVE	D-	9. WELL NO.	,	
		Colorado	80402					•			OL OR WILDCAT
4. LOCATION OF WE	LL (Report locat	ion clearly and in	accordance	with a	ny State debi	Pr-0	m(2) 21 0 0	Ā			Creek
At surface					HU!	G"2	77 1984	4			OR BLOCK AND SURVEY
At top prod. In	terval reported b								OR ARBA		
At total depth	; : :						N OF C		Sec. 4	⊦ , T	5S-R3W
******			14. PER		0	DATI	E ISSUED	• •	12. COUNTY		13. STATE
15. DATE SPUDDED			1					٠.,	Duches		
DAIR STUDDED	40. DATE T.D.	REACHED 17. DA	IE COMPL.(.	K 446 Y	to prod;) 18	. BL	EVATIONS (DP, RE	, 27, 6R, ETC.)*	19.	ELEV. CASINGHEAD
20. TOTAL DEPTH, MD	4 TVD 21, 241	R, BACK T.D., MD A	TVD 1 22	IF MI	LTIPLE COMPL		1 23, INT	ERVAL	BOTARY TOO		CABLE TOOLS
				HOW	MYKA.	•		LLED B			1
4. PRODUCING INTER	VAL(S). OF THIS	COMPLETION-TO	P. BOTTOM, I	IAME (MD AND TVD)				'	72	5. WAS DIRECTIONAL
·								,			SURVEY MADS
6. TYPE BLECTRIC A	ND OTHER LOGS	RUN		,				•		27. W	VAS WELL CORED
3.					port all strings	set					
CASING SIZE	WEIGHT, LB.	FT. DEPTH SI	T (MD)	HO	LE SIZE		CEI	MENTIN	g RECORD		AMOUNT PULLED
	-						<u> </u>				
	-										
· · · · · · · · · · · · · · · · · · ·	-	——									
9.	-!	LINER RECORD					30.		TUBING RECO	RD	· · · · · · · · · · · · · · · · · · ·
812E	TOP (MD)	BOTTOM (MB)	BACKS CEN	ENT*	SCREEN (ME))	BIZE	T	DEPTH SET (MD		PACKER SET (MD)
]	-			
								-			
. PERFORATION REC	ond (Interval, sie	e and number)			32.	AC	ID, SHOT,	FRAC	TURE, CEMENT	SQUI	EEZE, ETC.
5281-85'	and 5082-50	086' w/2 sł	nots/ft.		DEPTH INT			^	MOUNT AND KIND	OF >	CATERIAL USED
					5082-52	<u>85 '</u>					20/40 sand,
								1.2	<u>40 bbls ge</u>	1 W	ater
											· · · · · · · · · · · · · · · · · · ·
i.•		 		PROI	DUCTION	_					
8/8/83	Pur Pur	стюм метнов (F nping, 1½"	lewing, gae	lift, p	emping—size e	nd to	ype of pum	(9)	ABLT S		Producing or Producing
8/11/84	HOURS TESTED 24	CHOKE SIES	PROD'N. TEST PE		26		94	7.	WATER-BBL.	7	3615
OW. TURING PROOF.	CASING PRESSURE	CALCULATED 24-HOUR RATE	011-381		GAS—N	cr. 94	1	WATER			AVITY-API (CORR.)
DISPOSITION OF GAI		fuel, vented, etc.)	- '						TEST WITHESS		
Vented									Jim Si	mon '	ton
LIST OF ATTACEM	ENTS		-		·			:			
I haveha access.			4					•			
. I hereby certify t	roregoing	and arrached in	rormation is	compl	ere and correc	T AS	determine	d from	all available rec	_	·
SIGNED D	1 Ma	1 his	_ TITL	<u>v.</u>	P. 0/G 0	per	ations		DATE	Y	-22-84

INSTRUCTIONS

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or both, pursuant to applicable Rederal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency

Item 18: Indicate which elevations as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. Items 22 and 24: It this well is completed for separate production from more than one interval sometimes. Submit a separate in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval in item 33. Submit a separate report (page) on this form, adequately identified, item 29: "Socks Cement". Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

57. SUMMARY OF POROUS ZONES; SHOW ALL IMPORTANT SONES OF POROSITY AND CONTENTS THREBOF; DEFIN INTERVAL TESTED, CUSHION USED, THE TOOL OPEN, PLOWING	ROUS ZONES: STANT BONES OF P. TESTED, CUBBION	ROBITY AND CONTEN	ATE THERDOF; CORED INTREVALE; AND ALL DRILL-STRM TRETS, INCLUDING	28. GEOLG	CENTONN NABRA	
PORMATION	101	BOTTOM				
Green River:	1636			HAM	MEAS. DSPTH	TAGE VERY BEAT
Green River, Parachute Creek: Green River, arden Gulch: Upper Douglas Creek:	3020° 3760° 4800°					

STATE . UTAH

SUBMIT IN D. (See other in. chons on reverse side)

Page	3	of	456	64	0
------	---	----	-----	----	---

5. LEASE DESIGNATION AND SERIAL NO.

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

								20-H62-3503
WELL CO	OMPLE	TION	OR RECC	MPLETION	REPORT	AND LO	G*	N, ALLOTTER OR TRIBE NA
. TYPE OF W			XX GAS		Other		Ute	Tribe
TYPE OF CO		N:						-
WELL -		XX EX.	PLOG	DIFF. EESVR.	Other			Chail al
				,	2021 270	7020	9. WELL NO	Tribal
Cors Ene	TRY CO	mpany			303) 278-	CENE	1-4	
PO Box 46	7. Gol	den. Co	lorado	80402	1 I los	, V L	10. FIELD A	ND POOL, OR WILDCAT
					A (.	rementa)*	- Ant	elope Creek
At surface	1331'	FNL, 12	77'FEL,	Sec. 4, NE/	4 AC	IG 27 1984	11. SEC., T., OR ARBA	R., M., OR BLOCK AND BURY
At top prod. is		ported belov	.		, 50	10101105	Sec	. 4, T5S-R3W
At total depth	same					ISION OF C AS & MININ	result in	44) 444°
maranaming creations	same			14. PERMIT N	lo.	DATE ISSUED	12. COUNTY	OR . 13. STATE
		1 4 34 4 4 4 4 4			-30762	5/12/		
DATE SPUDDED	16. DA	PE T.D. REA	CHED 17. DA	TE COMPL. (Ready	to prod.) 1), blevations (b	P, BEB, RT, GR, ETC.)*	19. BLEV. CASINGHEAD
OTAL DEPTH, MI	9 A 379	21. PLUG,	BACK T.D., MD 4		LTIPLE COMPL			LE CABLE TOOLS
-				HOW	MAKI*	DEIL	LED ST	
BODUCING INTI	ERVAL(S),	OF THIS CO	MPLETION—TO	P, BOTTOM, NAME	(MD TAD).			25. WAS DIRECTIONAL SURVEY MADS
	;							
TPB BLECTRIC					<u> </u>			27. WAS WELL CORED
ira statinit	AND UZME	. 2008 807	•	•		_		27. WAS WELL CORED
			CAS	ING RECORD (Re	port all string	et in well)	<u> </u>	
ELIE DKIBA	WEIG	RT, LB./FT.	DEPTH S	T (MD) H	OLE SIZE	CEM	ENTING RECORD	AMOUNT PULLED
							· · · · · · · · · · · · · · · · · · ·	
	_				· · · · · · · · · · · · · · · · · · ·			
	!	LIP	VER RECORD			30.	TUBING RECO	RD
8128	TOP (M	(D) DO	TTOM (MD)	SACKS CEMENTS	SCREEN (M	e) SIZZ	DEPTH SET (MI) PACKER SET (MD)
RFORATION RE	COED (1810	irvai, mee e	ind number)		82,		FRACTURE, CEMENT	
e-perfor:	ated 5	529-361	, 5511-1	51.		ERVAL (MD)		OF MATERIAL USED
477-92' t	w/4 JSI	PF and 1	perforate	ed from	<u>5422-55</u>	30	36.000¥ 20/40	sand, 584 bbls
438-581	& 5422 -	-25' w/	4 JSPF					•
	^ ^!!							
	0.38				DUCTION			
2 gram, (l monttone	AN MERNAG (I		- A Proposition of the Propositi	our ships of heur!		TATUS (Producing or
2 gram, (i .	ON METHOD ()				ehut	
2 gram, (Pumpi	-	25" x 16"	rod pump	948HCI		Producing
2 gram, (NON	Pumpi	ng lk x	PROD'N. FOR		948HCI	· WATER—SDL.	
2 gram, (PIRET PRODUCT /8/83 OF TREE TUBLING FRAME.	HOURS :	Pumpi	CHOKE SIZE CALCULATED 24-ROUB RAT	PROD'N. FOR TEST PERIOD			· WATER—BBL.	Producing
2 gram, () FIRST PRODUCT (/8/83) OF TREE TUBLING PRIME.	HOURS :	Pumpi reared	CALCULATED 24-ROUR RAT	PROD'N. FOR TEST PERIOD	OIL—BAL.		· WATER—BBL.	Producing GAS-OIL BATIO DIL GRAVITY-API (CORR.)
2 gram, (HOURS :	Pumpi reared	CALCULATED 24-ROUR RAT	PROD'N. FOR TEST PERIOD	OIL—BAL.		VATER-BDL.	Producing GAS-OIL BATIO DIL GRAVITY-API (CORR.)
2 gram, () FIRST PRODUCT (/8/83) OF TREE TUBLING PRIME.	MOURS : CASING : CASING : CASING : CASING : CASING :	Pumpi reared	CALCULATED 24-ROUR RAT	PROD'N. FOR TEST PERIOD	OIL—BAL.		VATER-BDL.	Producing GAS-OIL BATIO DIL GRAVITY-API (CORR.)

SUBMIT IN DU" CATE* (See other instructions

Page 2 of 4 56 64 01

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

DIVISION OF OIL, GAS, AND MINING							3.	•.		HATION AND SERIAL P			
WELL	OMPLETION	ON C	D DECC	AADI ET	ION	DEDODT		ND LC		6.	14-2 17 1701/	U-HE	62-3503 LOTIBE OR TRIBE HAD
1. TYPE OF W		OIL X					A	אט בכ		 -L	Ute		
L TYPE OF C	MPLETION:	WELL'T	WEEL WELL		DRT 🗀	Other				- ^{1.} '	JNIT AO	REEMI	ENT MAME
WENT	WORK (X	DEEP- (PLDG BACK	DIF	Va.	Other				8. 1	PARM OI	LEAI	EMAN S
2. NAME OF OPE											Ute 1	Trib	a1
Coors Ene	-	ny				(303) 27	-				WELL NO	D.	·.
P.O. BOX		on Co	nherolo	8040	2 -	HE	UE	EIVE	U	i	1-4		DOL, OR WILDCAT
4. LOCATION OF						ny State reeu	irem	ente) e		1			creek
At surface								7 1984	1		<u> </u>	. B., M.	- ON BLOCK AND SURVE
At top prod.	nterval reporte	ed below							٠.,.	ŀ		-	
At total depti): :				•			N OF O			Sec	Δ	T5S-R3W
-				14. PF	N TIKE	GAS	DATE.	MININ	}	12.	COUNTY	08	. 13. STATE
er, um enderstätte n m _e m	deservations of the second	بالمعادد	nga barangan			-30762	5	5/12/83	} #		Duche	∍ŝ'ne	tah Ütah
5. DATE SPUDDED	16. DATE T	.D. REACH	ED 17. DA	TE COMPL	(Reedy	to prod.) 1	B. BL	STATIONS (DF, D	53, 37, 62,	ETC.)*	19.	BLEV. CARINOMBAD
A. TOTAL DEPTH. M	.		EX 7.9., 309 A		10 40	Control of Control		1 02 1	}	A No.			<u> </u>
			1.5-, AF 6	1 22	NOK :	LTIPLE COMPL GANT [®]	•	23. IN:	ILLED		ART TO)LE	CABLE TOOLS
4. PRODUCING INT	ERVAL(S), OF T	HIS COMI	LETION-TO	P, BOTTOM,	HAME (MD THD IAD).	•		⇒			- T:	25. WAS DIRECTIONAL
	•									*			SURVEY MADE
<u>.</u>	4.										; ;	L	in the second
L TTPS BLECTRIC	AND OTHER LO	GS RUN							•	** .		27.	WAS WELL CORED
S.	: <u>*</u>								٠.	•		ــــــــــــــــــــــــــــــــــــــ	
CASING SIZE	WEIGHT,	LB./FT.	DEPTH SI			LE SIZE	9 961		MENT	NG RECORI	<u> </u>	-	AMOUNT PULLED
										•			
										·			
). 2122	TOP (MD)		R RECORD	SACES CE	-	SCREEN (M		30.	· ·		G RECO		T
	107 (20)	- 	(AB)	SACAS CS	ABNI.	BCREEN (M		\$122		DEFER	SET (M	D)	PACKER SET (MD)
				 									
. PERFORATION RI	CORD (Interval	, else and	number)	·		32.	A	CID, SHOT	. YRA	CTURE, C	EMENT	r squ	EEZE, ETC.
Perf'd 57	15-5846' 1	w/13 s	hots			DEPTH INT							MATERIAL USED
	-	·				5715-5	<u>846</u>						CL acid, 100,
Perf'd 547	7 - 5536' v	v/16 s	hots			2723 27	-0.6		<u> </u>		<u>-</u> _		bbls X-link g
				`		5477-55	2.36	<u> </u>		ink ge			and, 1,030 bb
j.•			,			DUCTION				THE RE	.ı wa	ccl	
TH FIRST PRODUCT	4					imping-else ((P)	· I	WELL	BTATU	a (Producing or
8/8/83						x 16' r	od	<u> </u>			Prod		ng
TE OF TEST	HOURS TEST	ED C	MOKE SIZE	PROD'N	ERIOD	011-361		GAS-NO	CF.	WATI	R—BDL	. [GAS-OIL BATIO
OW. TUBLNO PROOF.	CASING PRES	SURE C	ALCULATED	011-3	<u>→</u>	GAS-1	ICP.		WATE	1-00L		017. 0	BAVITY-API (CORE.)
			4-HOUR RATI			1		. 1			1	V	
. Disposition of	AB (Sold, wood	for fuel, s	-			<u> </u>				TEST	WITHES	SED B	<u>T</u>
										_]			
. LIST OF ATTACE	MENTS											•	
I harehy sand	104 th- 4	-1 *		4		· · · · · · · · · · · · · · · · · · ·		:					
. I hereby certify	.ma. tme lores	oing and	attached in	ormation :	n compl	ere and corre	CE AS	determine	d fro	m all avai	lable re	cords	

STATE UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

SUBMIT IN DI CATE*
(See other in thions on reverse see)

Page 1 of 4 56 64 01

0

5. LEASE DESIGNATION AND SERIAL

<u> </u>				· · · · · · · · · · · · · · · · · · ·		Û	14-20) - Н62-3503
		N OR RECOI	MPLETION	N REPORT	AND L	OG*		, ALLOTTES OR TRIBE HA
1a. TYPE OF W	ELL: 0	VELL X WELL	DRY	Other			-Ute Tribe	BEMENT NAME
L TYPE OF CO	WORK (77)	PLOU F] 2177. [7				
2. NAME OF OPE		N BACK	RESVA. L	Other			S. PARM OR	
Coors Ene	rgy Company	, ·	(303)	278- 7030			Ute Triba	
3. ADDRESS OF O	PERATOR		<u></u>	RE	CEIVI	ED		•
P.O. Box	467, Golder	1, CO 80402	annadam on andeb	2000 2000			_1 .	P POOL, OR WILDCAT
At surface]	331 FNL 12	77'FEL, Sec.	4. NF/4		IG 27 19	84	Antelope	Creek
	interval reported i			7,00			OR AREA	L, M., OR BLOCK AND SURVI
Si At total depth	ame	NEN	E	. DIV	ISION OF	OIL		TO BOW
	ame		14. PERMIT	HO. G	AS & MINI	NG.	Sec. 4, T	
en e	•	e mermana a a a a a a a a a a a a a a a a a a	43-013-3		5/12/8	3	Duchesne	Utah
	*	REACHED 17. DATE		to prod.): 1	8. BLEVATIONS	(DF, REB,	RT, 62, ETC.)*	19. BLET. CARINGHEAD
5/30/83 A TOTAL DEPTH, MI	6/14	/83 UG, BACK T.B., MD & T	8/8/83	CLTIPLE COMPI		32' GL		
6698'		6645'	wow.	MYKI.		BILLED BY	10-6698 1	CABLE TOOLS
	ERVAL(S), OF THU	COMPLETION—TOP.	BOTTOM, WANT	(MD AND TYD)	. 	>	10.000	25. WAS DIRECTIONAL
TOOOL CCATI		D :		1.5				SORARI WVDB
	- LOWER G	reen River						No
CBL, DIL,								NO
		CASIN	G RECORD (R	eport all string	e set in well)	 		
CASING SIZE	WEIGHT, LB.	FT. DEPTH BET	(MD) H	IOLE SIZE		PHITHE		AMOUNT PULLED
8-5/8" 5-1/2"	24.00			12-1/4" 7-7/8"	<u> </u>		sks	
3-1/2	13.30	,, 0000 K	, 	7-770		1500	sks	
								
		LINER RECORD	•		30.	7	TUBING RECOR	D
9122	TOP (MD)	BOTTOM (MD) B	CKS CEMENT.	SCREEN (M			DEPTH SET (MD)	PACKER SET (MD)
				-	2-7, EUE 3		5204'	
PERFORATION RE	CORD (Interval, at	ee and number)		32.			URE, CEMENT S	MOUEEZE ETC
6370'-6645	' 2JSPF to	otaling 78 sh	nots		BRYAL (MD)			OF MATERIAL USED
C1001 C0	1001 +o+=14-	50 chama	·	6370-66	45'	76,50	00# 20/40 \$	sd, 36,050 gals
6133 - 63	26 COLATII	ng 52 shots		67.22 62	001	Versa		V 1 00 000 1
				6133-63	26			% acid, 90,000# als gel water
•				DUCTION			41,000 gc	113 get water
FIRST PRODUCT		CTION METHOD (Flee	eing, gas lift, p	umping—size	end type of pu	mp)	WELL STA	ATUS (Producing or
SEE LAST PA	GE HOURS TESTED	CHOKE SIZE	PROD'N, FOR	01L—85L	GAS—N	· ·		
, •			TEST PERIOD		"	c,r.	WATER—DDL.	GAS-OIL RATIO
W. TUBING PROCE.	CASING PRESSUR	E CALCULATED 24-ROUR BATE	OIL-BBL.	GAS-1	(C7.	WATER-	DDL OII	L GRAVITY-API (CORR.)
DISPOSITION OF T	An ARold mod A					·		<u> </u>
	AB (Sold, used for	just, vented, etc.)					TRAT WITHEASE) BY
LIST OF ATTACES	WENTS							
	~ .							
I hereby certify	that the toregoing	and attached infor	mation is comp	lete and correc	t as determin	ed from a	ll available recor	de
SIGNED	1/ /m	att	TITLE	V.C.	Osle	#-	_	8-12-84
			نظایلاند		-//	\sim	= DATE	0 / 07

STATE OF UTAH



ECHIVED	ļ,
(Other metricitions in	Ċ
throther impa)	į

DEPARTMENT OF NAT DIVISION OF OIL, G		ES OCT 1 1	1985	AAE DESIGNATION	, the seater no.
SUNDRY NOTICES AND FOR DO NOTICES AND FOR DO NOTICES AND FOR DO NOTICE AND FOR PERMIT	EPORTS ON leepen or plug back to	WELL GAS &	INING	Ute Tribe	18 94 TRIVE NAM
OIL XX WELL XX OTHER			J. UM		<u>.</u>
2. FAME OF OPERATOR			8. 74	MM OR LEASE NA	M 3
Coors Energy Company				Ute Tribal	
PO Box 467, Golden, Colorado 80402				/-	4
4. LOCATION OF WELL (Report location clearly and in account	dance with any State	requirements."	10. #	IBLD AND POOL, O	MILDCAT
See also space 17 below.) At surface			i.	Antelope C	reek
			11. a	SC. I. R. M. OR :	
				T5S-R3W, S	ecs 3-3 3
	Show whether SP, NT, GR	. Ha.)	12. 0	MEISAS SO TENDO	, •
43-013-30762	•		Duc	hesne	Utah
16. Check Appropriate Box T	o Indicate Nature	· · · · · · · · · · · · · · · · · · ·	•		
: OT HOTTERIU NO EDITOR			CT THEBPOREEDS	PORT OF:	
TEST WATER SHUT-OFF PULL OR ALTER CASE	**	WATER SHUT-OFF		REPAIRING 1	
PRACTURE TREAT MCLTIPLE COMPLETE		PRACTURE TREATMENT	F1	ALTERING CA	
SHOOT OR ACIDIZE ASAMDON*	<u> </u>	Executive on ACIDIZI	day of Ga	as Producti	
REPAIR WELL . CHAPGE PLANS	├ ─┤	Nort : Report	results of mult	iple completion	on Well
(Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly structured work. If well is directionally drilled give			deter lacted	eport and Log for	e of starting and
Our wells located in Antelope Creek 3-33 were turned into the gas pipel: The following is the list of wells wells to the Tribal 1-3, Section 3 "1-4 "1-5 "1-6 "1-6 "1-7	which are now	1900.	3 :	;-R3W, Sect	ions:
1-/	**	1-31 "	31		
" 1-8 " 8 " 2-9 " 9	. 11	1-32 "	32		
" 1-10 " 10	11	1-33 ''	33		
" 2-7 " 7	* 11	3-4	4		
" 3-7 " 7		٠.			
" 1-18 " 18			- 40		
" 1-15 " 15	C	as sales from	the above	- wells are	e made to:
" 1-16 " 16	G:	and Valley G	as Transm	ission Com	oanv
" 1-17 " 17	/ <u>,</u> -	7 West 200 So	uth. Suite	= 510	, -,
" 1 - 19 " 19	- 	alt Lake City	. Utah 84	4101	
" 1-20 " 20	56	ire make drey	, 0000		
18. I hereby certify mar the paregoing in true and correct		*		ma	1/2
SIGNED AS SPERGE	TITLE Director	r, O/G Operat	ions r	DATE 10/9	<i>5</i>
In C. Shrnoud					
(This space for Federal or State office use)					
APPROVED BY	TITLE		I	DATE	

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	ease Designation and Serial Number
	14-20-H62-3503
7	adia a Allanda a war war war war war war war war war

	7. Indian Allottee or Tribe Name
DS: ST	
SUNDRY NOTICES AND REPORTS O	N WELLS Ute Tribe
Do not use this form for proposals to drill new wells; deepen existing wells, or to re-	nter-plugged and abandoned wells. 8. Unit or Communitization Agreement
Use APPLICATION FOR PERMIT—for such propos	raje
1. Type of Well	
Oil Gas Well Cher (specify) Well S	9. Well Name and Number
2. Name of Operator	<u>Ute Trib</u> al 1-4
Coors Energy Company	10. API Well Number
3. Address of Operator	43-013-30762 4. Telephone Number 11. Field and Pool, or Wildcat
PO Box 467, Golden, Colorado 80402	(303)278-7030 Antelope Creek
5. Location of Well	Artelope Greek
Footage : 1331 FNL, 1277 FEL, NE/4 Lot 8	County: Duchesne
QQ.Sec, T., R., M.: Section 4, T5S-R3W	State · LITAU
12 CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, REPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT
	(Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing	Abandonment • New Construction
Change of Plans Recompletion	Casing Repair Pull or Alter Casing
Conversion to Injection Shoot or Acidize	Change of Plans Shoot or Acidize
Fracture Treat Vent or Flare	Conversion to Injection Vent or Flare
Multiple Completion Water Shut-Off	Fracture Treat Water Shut-Off Other ANNUAL STATUS REPORT
Other	ANNOAL STATUS REPORT
	Date of Work Completion 1991–1992
Approximate Date Work Will Start	Date of Work Completion 1991–1992
	Report results of Multiple Completions and Recompletions to different reservoirs
	ON WELL COMPLETION ON RECOMPLETION AND LOG form.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Co	Must be accompanied by a cement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertine locations and measured and true vertical depths for all markers and zones pertine	ent details, and give pertinent dates. If well is directionally drilled, give subsurface ent to this work.)
	•
The Ute Tribal 1-4 was shut in on 12/19/91	due to surface facility problems which are
uneconomical to repair at this time.	and to surrate ruerries, problems with the
.	
This well will be reviewed for a workover	and/or P&A.
•	Summer
	Cross a decade
	FEB 1 4 1992
	DIVISION OF
	Che Cas & Remine
4. I hereby certify that the foregoing is true and correct	
	Manager -
Name & Signature D. S. Sprague /KK.	Title Engineering/Operations 2/7/92
State Use Only) DeSt. Sprague	



355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Ut 84180-1203. ● (801-538-5340)

Page $\frac{3}{}$ of $\frac{6}{}$



MONTHLY OIL AND GAS PRODUCTION REPORT

Operator name and address:					
• MARYELLEN VIALPANDO COORS ENERGY PO BOX 467 GOLDEN CO 80402-0467				Utah Account No. – Report Period (Mor	nth/Year)
Well Name	Producing	Dave	Production Volume		
V20. 1.114 (400.15)		-	Oil (BBL)	Gas (MSCF)	Water (BBL)
UTE TRIBAL 1-18 ,4301330761 09387 058 03W 18	GRRV		14-20-HG2-3513		
TTE TRIBAL 2-18 4301330881 09387 058 03W 18	GRRV		i i		
UTE TRIBAL #4-18 4301331099 09387 058 03W 18	GRRV		1ı		
	GRRV				
	GRRV	_	14-20-462-3503		
UTE TRIBAL 1-29 4301330763 09389 055 03W 29 1 TRIBAL 2-29	GRRV		14-20-462-3518.		
	GRRV		1)		
	GRRV		II.	,	
	GRRV		14-20-162-3515	,	
	GRRV		14-20-462-3504		
√4301331306 09391 055 03W 5	GRRV		•		
UTE TRIBAL 1-7 4301330788 09392 055 03W 7	GRRV	~	14-20-462-3506		
UTE TRIBAL 1-17 4301330790 09394 058 03W 17	GRRV		14-20-1162-3512	·	
Comments (attach separate sheet if neces		TAL			
I have reviewed this report and certify the	information	to be	accurate and complete.	Date	
A thosis ad also shows			•	Telephone	
Authorized signature	•				



P.O. BOX 467 GOLDEN, COLORADO 80401

September 1, 1992

State of Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 355 West North Temple Salt Lake City, Utah 84180-1203 REGINALIO

SEP 0 4 1992

ONIZIONOF OILGER A MERKO

Attn: Mr. Ron Firth

Dear Mr. Firth:

This letter is to advise you that effective September 1, 1992 Coors Energy Company has sold its oil and gas properties located in Duchesne County, Utah to the following Company:

Evertson Oil Company, Inc. P.O. Box 397 Kimball, Nebraska 69145 Mr. Bruce F. Evertson, President Phone No.: (308) 235-4871

The sale includes the following wells:

WELL NAME	API NO.
√State 2-6	43-013-30891
∖Ute Tribal l	43-013-20045
√Ute Tribal 1-10	43-013-30805
⊌Ute Tribal 1-10D	43-013-31211
⊌Ute Tribal 1-15	43-013-30880
√Ute Tribal 1-15D	43-013-30712
⊌Ute Tribal 1-16	43-013-30804
√Ute Tribal 1-17	43-013-30790
⊍Ute Tribal 1-18	43-013-30761
√Ute Tribal 1-19	43-013-30803
√Ute Tribal 1-20	43-013-30764
∨Ute Tribal 1-20D	43-013-31239
⊍Ute Tribal 1-21	43-013-30883
√Ute Tribal 1-24D	43-013-31234

Page 2 Change of Operator Duchesne County, Utah

WELL NAME	API NO.
∕Úte Tribal 1-28	43-013-30802

WEL	L NAME		
√Út e	Tribal	1-28	
Ute			
	Tribal		
√Ute			
VUte		1-3D 1-4	
	Tribal		
	Tribal		
Ute	Tribal		
	Tribal		
	Tribal		
	Triba'l		
	Tribal	2-9	
	Tribal	3	
	Tribal		
	Tribal		
∽Ųte	Tribal	3-29	
	Tribál		
	Tribal		
√Űte	Tribal	3 - 7	
√Úte	Tribal	3-8	
√Ute	Tribal	4	
√Ute	Tribal	4-10D	
∕Ute	Tribal	4-17D	
Ute	Tribal	4-18	
√Úte	Tribal	4-18D	
∨Úte	Tribal	4-29	
√Ute	Tribal	4-4	
Ute	Tribal	4-5	
Úte	Tribal	4-8	
Ute	Tribal	4-9	
Ute	Tribal	5	
√Ute	Tribal	5-18	

⊌Ute Tribal 5-29-E3

43-013-30823 43-013-30852 43-013-30853 43-013-30806 43-013-31242 43-013-30762 43-013-30785 43-013-30793 43-013-30788 43-013-31198 43-013-30759 43-013-31187 43-013-31219 43-013-31200 43-013-31166 43-013-43-013-30881 43-013-30882 43-013-30849 43-013-31097 43-013-31188 43-013-30824 43-013-30825 43-013-30826 43-013-31199 43-013-30789 43-013-15319 43-013-31217 43-013-31175 43-013-30850 43-013-30878 43-013-30938 43-013-30828 43-013-31101 43-013-15321 43-013-31226 43-013-31201 43-013-31099 43-013-30838 43-013-30851 43-013-30848 43-013-31306 43-013-31164 43-013-31165 43-013-15322 43-013-31180 43-013-30939

43-013-30763

43-013-30879 (WIW) SEP 0 4 1992 DIVISION OF OIL GAS & MINING

Page 3 Change of Operator Duchesne County, Utah

WELL	L NAME		API NO.
√Ute	Tribal	5-8	43-013-31307
∨Ute	Tribal	6	43-013-15323
∨Ute	Tribal	6-10D	43-013-31236
∨Ute	Tribal	6-16D	43-013-31204
√Ute	Tribal	6-29	43-013-31305
√Úte	Tribal	6-4	43-013-31100
∨Ute	Tribal	7	43-013-15324
∪Ute	Tribal	7-16D	43-013-31221
√Ute	Tribal	7-29	43-013-31339
√Úte	Tribal	8	43-013-30028
₽Üte	Tribal	8-16D	43-013-31220
Ute	Tribal	1-21D	43-013-31347
√Úte	Tribal	1-22D	43-013-31349

On this date, we are also notifying the BLM, BIA and the Ute Tribe of this change of operator.

Would you please forward this letter on to anyone else at the State office who might need to have this information. Let us know if we can be of further assistance or if you have any questions.

Very truly yours,

Doug S. Sprague

Manager


Engineering & Operations

DSS:kr

SEP 0 4 1992

ON GAS A MINING

EVERTSON OIL COMPANY, INC. P. O. BOX 397 KIMBALL, NE 69145 308/235-4871



DAVISION OF OCLEAS & MINING

September 21, 1992

Lisha Romero State of Utah Department of Natural Resources Division of Oil, Gas and Mining 355 W. North Temple 3 Triad Center, Suite 350 Salt Lake City, UT 84180-1203

Dear Lisha:

Enclosed please find a listing of wells purchased from Coors Energy Company. These are all the wells on which Evertson Oil Company, Inc. will be taking over operations effective September 1, 1992.

I assume that Coors Energy Company has submitted the change of operator forms as required.

I will be forwarding the bonding information required by the U.S. Department of Interior, Bureau of Indian Affairs, as soon as that information is available.

Should you have any questions or need additional information, please let me know.

Sincerely,

James G. Stephen

JGS/iks enc.

/9258

EVERTSON OIL COMPANY, INC. SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510103	Ute Tribal 1-3	Utah	Duchesne	58	3₩	3	SW/SW
1510104	Ute Tribal 1-4	Utah	Duchesne	5\$	3₩	4	NE/NE
1510105	Ute Tribal 1-5	Utah	Duchesne	5\$	3 \	5	NW/NE
1510106	Ute Tribal 1-6	Utah	Duchesne	5\$	3W	6	SE/SE
1510107	Ute Tribal 1-7	Utah	Duchesne	58	3₩	7	SE/SW
1510108	Ute Tribal 1-8	Utah	Duchesne	58	3W	, 8	NA/NA
1510110	Ute Tribal 1-10	Utah	Duchesne	5\$	3₩	10	NM/NM
1510115	Ute Tribal 1-15	Utah	Duchesne	58	3¥	15	NA\NA
1510116	Ute Tribal 1-16	Utah	Duchesne	58	3₩	16	SE/SE
1510117	Ute Tribal 1-17	Utah	Duchesne	58	3W	17	NE/NE
1510118	Ute Tribal 1-18	Utah	Duchesne	58	3₩	18	NE/NE
1510119	Ute Tribal 1-19	Utah	Duchesne	58	3₩	19	SE/SE
1510120	Ute Tribal 1-20	Utah	Duchesne	58	3₩	20	NW/NE
1510121	Ute Tribal 1-21	Utah	Duchesne	5\$	3W	21	SW/SW
1510128	Ute Tribal 1-28	Utah	Duchesne	58	3 W	28	SW/NW
1510129	Ute Tribal 1-29	Utah	Duchesne	58	3W	29	NE/SE
1510130	Ute Tribal 1-30	Utah	Duchesne	58	3₩	30	SW/NE
1510132	Ute Tribal 1-32	Utah	Duchesne	58	3¥	32	SE/NE
1510133	Ute Tribal 1-33	Utah	Duchesne	58	3₩	33	NA/NA
1510203	Ute Tribal 2-3	Utah	Duchesne	5S	3₩	3	SE/SW
1510204	Ute Tribal 2-4	Utah	Duchesne	58	3W	4	SW/NE
1510205	Ute Tribal 2-5	Utah	Duchesne	58	3W	5	SW/SW
1510207	Ute Tribal 2-7	Utah	Duchesne	5 S	3₩	7	NE/NE
1510208	Ute Tribal 2-8	Utah	Duchesne	58	3₩	8	SW/NW
1510209	Ute Tribal 2-9	Utah	Duchesne	58	3₩	9	NE/NE
1510210	Ute Tribal 2-10	Utah	Duchesne	58	3₩	10	SW/NW
1510216	Ute Tribal 2-16	Utah	Duchesne	58	3\	16	SW/SW
1510218	Ute Tribal 2-18	Utah	Duchesne	58	3W	18	SE/NE
1510220	Ute Tribal 2-20	Utah	Duchesne	58	3₩	20	SW/NE
1510229	Ute Tribal 2-29	Utah	Duchesne	58	3W	29	SE/SE
1510231	Ute Tribal 2-31	Utah	Duchesne	5S	3₩	31	NE/NW
1510304	Ute Tribal 3-4	Utah	Duchesne	58	3W	4	NE/SW

EVERTSON OIL COMPANY, INC. SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1510305	Ute Tribal 3-5-E3	Utah	Duchesne	58	3W	. 5	NW/SE
1510307	Ute Tribal 3-7	Utah	Duchesne	58	3W	7	SE/NE
1510308	Ute Tribal 3-8	Utah	Duchesne	58	3W	8	NE/NW
1510320	Ute Tribal 3-20	Utah	Duchesne	58	3₩	20	SE/N¥
1510329	Ute Tribal 3-29	Utah	Duchesne	58	3W	29	SE/NW
1510404	Ute Tribal 4-4	Utah	Duchesne	58	3₩	4	SW/SW
1510405	Ute Tribal 4-5	Utah	Duchesne	58	3₩	5	SE/NE
1510408	Ute Tribal 4-8	Utah	Duchesne	5S	3₩	8	NW/SW
1510409	Ute Tribal 4-9	Utah	Duchesne	58	3W	9	SW/SE
1510418	Ute Tribal 4-18	Utah	Duchesne	48	3W	18	NW/NE
1510429	Ute Tribal 4-29	Utah	Duchesne	5\$	3W	29	NW/NW
1510508	Ute Tribal 5-8	Utah	Duchesne	58	3W·	8	SE/NW
1510518	Ute Tribal 5-18	Utah	Duchesne	58	34	18	NE/SE
1510529	Ute Tribal 5-29-E3	Utah	Duchesne	58	3W	29	SW/NE
1510604	Ute Tribal 6-4	Utah	Duchesne	58	3₩	4	SE/SW
1510629	Ute Tribal 6-29	Utah	Duchesne	58	3W	29	SE/NE
1510729	Ute Tribal 7-29	Utah	Duchesne	5 S	3W	. 29	SE/NE
1520001	Ute Tribal 1	Utah	Duchesne	4 S	4W	9	NW/SW
1520003	Ute Tribal 3	Utah	Duchesne	4 S	4₩	16	SW/NE
1520004	Ute Tribal 4	Utah	Duchesne	4\$	4W	16	NE/SW
1520005	Ute Tribal 5	Utah	Duchesne	4\$	4 ₩	16	SW/NW
1520006	Ute Tribal 6	Utah	Duchesne	48	4₩	17	SW/NE
1520007	Ute Tribal 7	Utah	Duchesne	4S	4¥	17	SW/NW
1520008	Ute Tribal 8	Utah	Duchesne	4\$	4¥	16	NW/NW
1520103	Ute Tribal 1-3D	Utah	Duchesne	4 S	4¥	3	SE/SE
1520107	Ute Tribal 1-7D	Utah	Duchesne	48	4W	7	SE/SE
1520110	Ute Tribal 1-10D	Utah	Duchesne	4 S	4₩	10	SW/SE
1520115	Ute Tribal 1-15D	Utah	Duchesne	4 S	4W	15	SW/NE
1520120	Ute Tribal 1-20D	Utah	Duchesne	4 S	4W	20	SW/SW
1520121	Ute Tribal 1-21D	Utah	Duchesne	48	4₩	21	NE/NW
1520122	Ute Tribal 1-22D	Utah	Duchesne	48	4\	22	NE/NW
1520124	Ute Tribal 1-24D	Utah	Duchesne	4 S	5\	24	NW/NW
1520208	Ute Tribal 2-8D	Utah	Duchesne	48	4W	8	NW/SE

EVERTSON OIL COMPANY, INC. SCHEDULE OF WELLS

Well Number	Well Name	State	County	Township	Range	Section	Quadrant
1520210	Ute Tribal 2-10D	Utah	Duchesne	48	4W	10	SW/4
1520215	Ute Tribal 2-15D	Utah	Duchesne	48	4¥	15	NA\NA
1520218	Ute Tribal 2-18D	Utah	Duchesne	58	3₩	18	SE/NE
1520310	Ute Tribal 3-10D	Utah	Duchesne	48	4₩	10	SE/SW
1520410	Ute Tribal 4-10D	Utah	Duchesne	48	4₩	10	NE/SE
1520417	Ute Tribal 4-17D	Utah	Duchesne	48	4W	17	NW/SE
1520418	Ute Tribal 4-18D	Utah	Duchesne	48	4 W	18	NA\NA
1520610	Ute Tribal 6-10D	Utah	Duchesne	4\$	4¥	10	SE/NE
1520616	Ute Tribal 6-16D	Utah	Duchesne	4\$	4W	16	NE/NW
1520716	Ute Tribal 7-16D	Utah	Duchesne	4\$	4W	16	SE/NE
1520816	Ute Tribal 8-16D	Utah	Duchesne	48	4W	16	NE/SE
1521009	Coyote Ute Tr. 10-9	Utah	Duchesne	48	4¥	9	NW/SE

Division OPERA	on V 011, Gas and Mining TOK CHANGE WORKSHEET		Routing:
	all documentation received by the division regarding this change. I each listed item when completed. Write N/A if item is not applicable	e.	2-D7307-L0R4 3-VLC 4-RJF
	nge of Operator (well sold) ☐ Designation of Ag ignation of Operator ☐ Operator Name Cha		5- RWM 6- ADA
The op	perator of the well(s) listed below has changed (EFFECTIV	VE DATE:9-01-92)
TO (ne	ew operator) (address) EVERTSON OIL COMPANY INC PO BOX 397 KIMBALL, NEBRASKA 69145 BRUCE F. EVERTSON, PRES. phone (308) 235-4871 account no. N 6350 (11-24-92)	perator) address) PO BOX 467 GOLDEN, COLO DOUG SPRAGUE phone (303 account no.	DRADO 80402-0467 E, MGR 278-7030
Hell(s	S) (attach additional page if needed):		
Name: Name: Name: Name: Name:	*SEE ATTACHMENT	SecTwpRngLe SecTwpRngLe SecTwpRngLe SecTwpRngLe SecTwpRngLe	ease Type:ease Type:ease Type:ease Type:ease Type:ease Type:ease Type:ease Type:
Jæ 1.	TOR CHANGE DOCUMENTATION . (Rule R615-8-10) Sundry or other <u>legal</u> documentatio operator (Attach to this form). (fee'd 9.4-92) (Reg. WIC Form	1.57	
<u> Fer</u> 2.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has (Attach to this form). (Rej. 9-14-92) (Rec'd 9-25-92)	as been received fro	m <u>new</u> operator
JOF 3.	operating any wells in Utah. Is company registered we show company file number: # 1/3850 cf/ %-24-%2	ew operator above is vith the state? (yes	not currently no) If
Jet 4.	(attach Telephone Documentation Form to this report comments section of this form. Management review of changes should take place prior to completion of steps	t). Make note of Federal and Indian 5 through 9 helow	BLM status in well operator
^	Changes have been entered in the Oil and Gas Information listed above. $(11-25-92)$		for each well
JA 6.	Cardex file has been updated for each well listed above	:. (12-3-92)	
JCP 7.	Well file labels have been updated for each well listed	labove. (11-35-95)	
٥	Changes have been included on the monthly "Operator, A for distribution to State Lands and the Tax Commission.		
JOP 9.	A folder has been set up for the Operator Change file, placed there for reference during routing and processin	, and a copy of this ng of the original do	page has been ocuments.

- OVER -

PERATOR CHANGE WORKSHEET (CONTINUED) In a each item when completed. Write N/ item is not applicable.
NTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VERIFICATION (Fee wells only)
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
JA 3. The former operator has requested a release of liability from their bond (yes/no) for Joday's date 19 If yes, division response was made by letter dated 19
EASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
ILMING
1. All attachments to this form have been microfilmed. Date:
ILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
OMMENTS 92/125 Btm/Vernal "Operator still Coors Energy - Waiting on BIA approval." 92/125 Operator changed per admin.

STATE OF UTAH DEPARTMENT OF NETURAL RESOURCES DIVISION OF OIL AS AND MINING

-				
	6. Lease	Designation	and	Serial Number
•	nl.	22 - 4/	20	- 3503
-	15	00-110	~	בטטער י

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

Must be accompanied by a cement verification report.

Dľ	VISION OF OIL AS AND MIN	ING	7. Indian Allottee or Tribe Name
Do not use this form for proposals to e	NOTICES AND REPORTS I drills new well's, deepen existing wells, or to r RPPLICATION FOR PERMIT—for such prop	eenter plugged and abandoned wells,	Use Turbe 8. Unit or Communitization Agreement
1. Type of Well Oil Well Gas Well	Other (specify)	TORKSON EN	9. Well Name and Number UHE Turbal 1-4
	Company, INC	DEC 1 1 1992	10. API Well Number 43 - 013 - 30762
3. Address of Operator 7.0. Boy 397	Kimball, Ne 691	4. Telephone Number (301) 235 4871	11. Field and Pool, or Wildcat ANTELOPE Creek
5. Location of Well Footage : /33/ /	FNL, 1277 FEL	County	: Duchesne
	sec 4, 733, R3W	State	: UTAH
	PRIATE BOXES TO INDICATE N		
	E OF INTENT t in Duplicate)		QUENT REPORT Original Form Only)
Abandonment Casing Repair Change of Plans Conversion to Injection Fracture Treat Multiple Completion Other	New Construction Pull or Alter Casing Recompletion Shoot or Acidize Vent or Flare Water Shut-Off	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off
Approximate Date Work Will S	17-14-97	Date of Work Completion	

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Treat Green river formation with 1000 gal 10% Hel From 5946-56

12 Junihus

4. I hereby certify that the foregoing is true and correct		
Name & Signature Stylin	Title Prest	Date 11-27-92
State Use Only)		

335 NORTH WASHINGTON • SUITE 140 P.O. BOX 1807 • HUTCHINSON, KS 67504-1807 (316) 665-8500 • FAX (316) 665-5961

VIA FACSIMILE (801) 359-3940

February 16, 1994

Lisha Cordova State of Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 355 West North Temple Salt Lake City, Utah 84180-1203 FEB 1 8 1994

Ms. Cordova:

This letter is to advise you that effective February 1, 1994 Evertson Oil Company, Inc. intends to sell and Petroglyph Gas Partners, L.P. intends to purchase oil and gas properties located in Duchesne County, Utah as identified below:

Well Name	API No.
State 2-6	43-013-30891
Ute Tribal 1	43-013-20045
Ute Tribal 1-10	43-013-30805
Ute Tribal 1-10D	43-013-31211
Ute Tribal 1-15	43-013-30880
Ute Tribal 1-15D	43-013-30712
Ute Tribal 1-16	43-013-30804
Ute Tribal 1-17	43-013-30790
Ute Tribal 1-18	43-013-30761
Ute Tribal 1-19	43-013-30803
Ute Tribal 1-20	43-013-30764
Ute Tribal 1-20D	43-013-31239
Ute Tribal 1-21	43-013-30883
Ute Tribal 1-24D	43-013-31234
Ute Tribal 1-28	43-013-30802
Ute Tribal 1-29	43-013-30763
Ute Tribal 1-3	43-013-30823
Ute Tribal 1-30	43-013-30852
Ute Tribal 1-32	43-013-30853
Ute Tribal 1-33	43-013-30806
Ute Tribal 1-3D	43-013-31242
Ute Tribal 1-4	43-013-30762
Ute Tribal 1-5	43-013-30785
Ute Tribal 1-6	43-013-30793
Ute Tribal 1-7	43-013-30788
Ute Tribal 1-7D	43-013-31198

Page 2 Change of Operator Notice Duchesne County, Utah February 16, 1994

Ute Tribal 1-8	43-013-30759
Ute Tribal 2-10	43-013-31187
Ute Tribal 2-10D	43-013-31219
Ute Tribal 2-15D	43-013-31200
Ute Tribal 2-16	43-013-31166
Ute Tribal 2-18	43-013-31166 13-013-30281
Ute Tribal 2-18D	43-013-30881-43-013-31712/Drl.
Ute Tribal 2-20	43-013-30882
Ute Tribal 2-29	43-013-30849
Ute Tribal 2-3	43-013-31097
Ute Tribal 2-31	43-013- 30827 - 3118B
Ute Tribal 2-4	43-013-30879(ωιω?
Ute Tribal 2-5	43-013-30824
Ute Tribal 2-7	43-013-30825
Ute Tribal 2-8	43-013-30826
Ute Tribal 2-8D	43-013-31199
Ute Tribal 2-9	43-013-30789
Ute Tribal 3	43-013-15319
Ute Tribal 3-10D	43-013-31217 (WIW-) HELD NOT COMM.
Ute Tribal 3-20	43-013-31175
Ute Tribal 3-29	43-013-30850
Ute Tribal 3-4	43-013-30878
Ute Tribal 3-5-E3	43-013-30938
Ute Tribal 3-7	43-013-30828
Ute Tribal 3-8	43-013-31101
Ute Tribal 4	43-013-15321 (WDW)
Ute Tribal 4-10D	43-013-31226
Ute Tribal 4-17D	43-013-31201
Ute Tribal 4-18	43-013-31099
Ute Tribal 4-18D	43-013-30838
Ute Tribal 4-29	43-013-30851
Ute Tribal 4-4	43-013-30848
Ute Tribal 4-5	43-013-31306
Ute Tribal 4-8	43-013-31164
Ute Tribal 4-9	43-013-31165
Ute Tribal 5	43-013-15322
Ute Tribal 5-18	43-013-31180
Ute Tribal 5-29-E3	43-013-30939
Ute Tribal 5-8	43-013-31307
Ute Tribal 6	43-013-15323
Ute Tribal 6-10D	43-013-31236
Ute Tribal 6-16D	43-013-31204
Ute Tribal 6-29	43-013-31305
Ute Tribal 6-4	43-013-31100
Ute Tribal 7	43-013-15324
Ute Tribal 7-16D	43-013-31221

Page 3 Change of Operator Notice Duchesne County, Utah February 16, 1994

Ute Tribal 7-29	43-013-31339 (DRL)
Ute Tribal 8	43-013-30028
Ute Tribal 8-16D	43-013-31220
Ute Tribal 1-21D	43-013-31347
Ute Tribal 1-22D	43-013-31349

Petroglyph Operating Company, Inc., a wholly owned subsidiary of Petroglyph Gas Partners, L.P., will be the operator of these properties. At this time, we request a state assigned operator number.

We are also notifying the BLM, BIA and the Ute Tribe regarding this change of operator. Please forward this letter to anyone in the State office who may need to have this information. If you have any questions or need further assistance, please feel free to contact me at (316) 665-8500.

Sincerely,

Angela R. Bare

Operations Administrator

ARB/ms

LAW OFFICES OF

morris, laing, evans, brock & kennedy, chartered

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084 TELEPHONE (316) 262-2671 FAX: (316) 262-6226/262-5991

RALPH R. BROCK
JOSEPH W. KENNEDY
ROBERT I. GUENTHNER
DAVID C. ADAMS
KEN M. PETERSON
RICHARD D. GREENE
A. J. SCHWARTZ, JR.
DONALD E. SCHRAG
WILLIAM B. SORENSEN, JR.
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL ROBERT W. COYKENDALL ROBERT K. ANDERSON SUSAN R. SCHRAG ROBERT E. NUGENT MICHAEL LENNEN KARL R. SWARTZ ROGER L. THEIS JANA DEINES ABBOTT RICHARD F. HAYSE*

THOMAS R. DOCKING GERALD N. CAPPS DIANE S. WORTH TIM J. MOORE GARY E. PATTERSON BRUCE A. NEY JANET H. WARD

RESIDENT IN TOPEKA OFFICE ROBERT B. MORTON EVA POWERS OF COUNSEL

VERNE M. LAING

LESTER L. MORRIS 1901-1966 FERD E. EVANS, JR. 1919-1991

April 5, 1994

Ms. Lisha Cordoba
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Petroglyph Gas Partners, L. P.

APR 7
BIV. OF OIL, GAS & MENING

Dear Ms Cordoba:

I have spoken with you on occasion in the past concerning Petroglyph Gas Partners, L. P.'s acquisition of a 50% interest in a number of oil and gas leases in Utah. Most of these leases are on the Uintah and Ouray, Ute Reservation near Duchesne. I am enclosing the following documents in regard to this acquisition:

- 1. Copy of Collective Bond No. B04528 in the principal amount of \$75,000 by Petroglyph Gas Partners, L. P. and Inland Resources Inc. as principal and Planet Indemnity Company as surety in favor of the Bureau of Indian Affairs;
- 2. Copy of Collective Bond No. B04556 in the principal amount of \$75,000 by Petroglyph Operating Company, Inc. as principal and Planet Indemnity Company as surety in favor of the Bureau of Indian Affairs;
- 3. Copy of Surety Performance Bond in the principal amount of \$45,000 by Petroglyph Operating Company, Inc. as Principal and Planet Indemnity Company as surety in favor of the U.S. Environmental Protection Agency;

Page 2 April 5, 1994

- 4. Twenty-eight (28) Form 5 Designation of Agent or Operator executed by Inland Resources Inc. designating Petroglyph Operating Company as Operator of the wells described therein, in triplicate;
- 5. Twenty-eight (28) Form 5 Designation of Agent or Operator executed by Petroglyph Gas Partners, L.P. designating Petroglyph Operating Company as Operator of the wells described therein, in triplicate;
- 6. Seventy-five (75) Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
- 7. Seventy-five (75) Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
- 8. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 2-4 SWDW, in triplicate;
- 9. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 4 SWDW, in triplicate; and
- 10. UIC Form 5 Transfer of Authority to Inject for the Ute Tribal 3-10D SWDW, in triplicate.

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if I have overlooked or omitted anything.


Sincerely,

Roger L. Theis For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen



OF: 335 North Washington, #170, Hutchinson, KS 67501 PLANET INDEMNITY COMPANY

any liability under this bond; and

necessity of Joining the other.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

BOND NO. B04528

COLLECTIVE BOND

KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH GAS PARTNERS, L. P. AND INLAND RESOURCES INC.

of 410 17th St., #1675, Denver, CO 80202, as surety, are held and firmly bound unto the United States of America in the sum of seventy-five thousand dollars (\$75,000),

lawful money of the United States, for the payment of which, well and truly to be made, we bind ourselves and each of us, our and each of our heirs, successors, executors, administrators, and assigns, jointly and severally, firmly by these presents.
Sealed with our seals and dated this 16th day of March 19 94
The condition of this obligation is such that whereas the said principals , as lessee have heretofore or may hereafter enter into or otherwise acquire an interest in oil and gas mining leases on the Uintah and Ouray Reservation in the State of Utah, of various dates and periods of duration, covering lands or interests in lands held by the United States in trust for individual Indians, or bands or tribes of Indians, or subject to restrictions against alienation without the consent of the Secretary of the Interior, or his authorized representative, which leases and permits have been or may hereafter be granted or approved by the Secretary of the Interior, or his authorized representative, and the identification of which herein is expressly waived by both principals and suret y hereto.
WHEREAS the principal s and suret y agree that the coverage of this bond shall extend to and include all extensions and renewals of the leases and permits covered by this bond, such coverage to continue without any interruption due to the expiration of the term set forth therein. WHEREAS the surety hereby waives any right to notice of any modification of any such lease or permit, or obligation thereunder whether effected by extension of time for performance, by commitment of such lease to unit, cooperative, or communitization agreement, by waiver, suspension, or change in rental, except an increase thereof, by minimum royalty payment, except an increase thereof, by compensatory royalty payment, or otherwise, this bond to remain in full force and effect notwithstanding.

WHEREAS the principals and surety agree that the neglect or forebearance of any obligee under this bond in enforcing the payment of any rental or royalty or the

WHEREAS the principals and surety agree that in the event of any default under any such lease or permit, the obligee may prosecute any claim, suit, action, or other

proceeding against the principals and surety, or either of them, without the

performance of any other convenant, condition, or agreement of any such lease or permit shall not in any way release the principals and surety, or either of them, from

Now, if the said principal, herein shall for the obligations assumed in such leases and permits now or may hereafter become a party, and shall be trade and regulations made, or which shall be trade and intercouse with Indian tribes, and all or shall hereafter be lawfully prescribed by the to such mining leases and permits, and shall in provisions of such leases, permits, rules, and be null and void; otherwise, to remain in full	Il observe all the laws of the United made thereunder, for the government of l rules and regulations that have been e Secretary of the Interior relative all particulars comply with the regulations, then this obligation shall
The rate of premium charged on this bond is paid is	the total premium;
Signed and sealed in the presence of	
WITNESSES:*	PETROGLYPH GAS PARTNERS, L. P.
By: Dernita & Thode	BY: PETROGLYPH ENERGY, INC., General Partner
P. 0.	ROBERT C. MURDOCK, President NERS:
By: A State of the	SEAL SEAL
P. 0.	Na
By: V Charles (Suite (00)	PLANET INDEMNITY COMPANY
8 Greenway Plaza Suite 400) P. O. Houston, TX 77046)	as to Mildred L. Maney (SEAL)
By: Sue X/aas)	Mildred L. Massey, Attorney-in-Fact 410 17th Street, Suite 1675
8 Greenway Plaza, Suite 400 P. O. Houston, TX 77046	Denver, CO 80202
mhD/M	INLAND RESOURCES, INC.
475 17th Street, Suite 1500)	P. O. PILONI (SEAL)
P. O. Denver, CO 80202	KYLE A. MILLER, President
175 17th Street Suite 1500	The second of th
P. 0. Denver, co 80202 Suite 1500	(Programme)
* Two witnesses to all signatures	
APPROVED:	DEPARTMENT OF THE INTERIOR Bureau of Indian Affairs
way min.	. 19
	Superintendent

3.5

14596

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

MILDRED L. MASSEY

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be cerified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

"The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority

- (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and
- (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and
- (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.

SEAL COOME

Presiden

Notary Public, Denver County, Colorado

STATE OF COLORADO COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day

and year first above written.

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this ___

<u>16th</u> day of ._____

, 19 <u>94</u>

- • -- ----


(SEAI)

Great Chilson

Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company.

ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

BOND NO. **B04556**

		W4. * VIII	- WE WIND	Cathara, in			
l	niV.	űF	OIL	GAU	Ċ	Bissame	į
5		₩.				140	•

COLLECTIVE BOND

DETROCIADA OPERATING COMPANY INC.
KNOW ALL MEN BY THESE PRESENTS, That we, PETROGLYPH OPERATING COMPANY, INC. OF: 335 North Washington, Suite 170, Hutchinson, KS 67501 , as principal
01. 333 10221.
and PLANET INDEMNITY COMPANY
of 410 17th Stree, #1675, Denver, CO 80202, as surety, are held and firmly bound unto
the United States of America in the sum of seventy-five thousand dollars (\$75,000),
lawful money of the United States, for the payment of which, well and truly to be made,
we bind ourselves and each of us, our and each of our heirs, successors, executors,
administrators, and assigns, jointly and severally, firmly by these presents.
Sealed with our seals and dated this 16th day of March , 19 94.
The condition of this obligation is such that whereas the said principal, as lessee
has beretofore or may hereafter enter into or otherwise acquire an interest in our and
and mining larges on the Hintah and Ouray Reservation in the State of Utah, of Vactous
dates and periods of duration covering lands or interests in lands need by the united
States in trust for individual Indians or hands or tribes of indians, of subject to
restrictions against alienation without the consent of the Secretary of the interior, or
his authorized representative which leases and permits have been of may necessarily
granted or approved by the Secretary of the Interior, or his authorized representative,
and the identification of which herein is expressly waived by both principal and
suret y hereto.
f the hard shall extend
WHEREAS the principal and suret y agree that the coverage of this bond shall extend
to and include all extensions and renewals of the leases and permits covered by this
bond, such coverage to continue without any interruption due to the expiration of the
term set forth therein.
WHEREAS the surety hereby waives any right to notice of any modification of any
such lease or permit, or obligation thereunder whether effected by extension of time
for performance, by commitment of such lease to unit, cooperative, or communitization by
agreement, by waiver, suspension, or change in rental, except an increase thereof, by
minimum royalty payment, except an increase thereof, by compensatory royalty payment,
or otherwise, this bond to remain in full force and effect notwithstanding.
WHEREAS the principal and surety agree that the neglect or forebearance of any
abilded under the tand in enforcing the neumont of any rental or royally of the
manufactures of any ather convenient condition or agreement of ally buch form
shall not in any way release the principal and surety, or either of them, from
any liability under this bond; and
WHEREAS the principal and surety agree that in the event of any default under
any cuch lanca or normit the obligee may prosecute any clubul auxil account
proceeding against the principal and surety, or either of them, without the
necessity of joining the other.

is now or may hereafter become a party, and shall observe all the laws of the United States and regulations made, or which shall be made thereunder, for the government of trade and intercouse with Indian tribes, and all rules and regulations those have been or shall hereafter be lawfully prescribed by the Secretary of the Interior relative to such mining leases and permits, and shall in all particulars comply with the provisions of such leases, permits, rules, and regulations, then this obligation shall be null and void; otherwise, to remain in full force and effect. ; the total premium The rate of premium charged on this bond is \$ paid is Signed and sealed in the presence of WITNESSES:* OPERATING COMPANY, INC. as to R. A. CHRISTENSEN, P P. 0. PLANET INDEMNITY CO 8 Greenway Plaza, Suite 400 Houston, Texas 77046 Mildred L. Massey, Attorney-in-Fact 410 17th Street, Suite 1675 8 Greenway Plaza, Suite 400 Denver, CO 80202 Houston, Texas 77046 475 17th Street, Suite 1500 P. O. Denver, CO 80202 475 17th Street, Suite 1500. P. W. Denver, CO 80202 Two witnesses to all signatures DEPARTMENT OF THE INTERIOR APPROVED: Bureau of Indian Affairs

SuperIntendent

Now, if the said principal, herein shall faithfully carry out and observe all

the obligations assumed in such leases and permits to which Petroglyph Operating Company, In

CERTIF TE OF AUTHORITY NO. 1455/

GENERAL POWER OF ATTORNEY

CERTIFIED COPY

KNOW ALL MEN BY THESE PRESENTS: That PLANET INDEMNITY COMPANY, a corporation organized and existing under the laws of the State of Colorado, and having its principal office in the City of Denver, Colorado does hereby constitute and appoint:

ROY C. DIE

its true and lawful attorney-in-fact to execute, seal and deliver for and on its behalf as surety, any and all bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, which are or may be allowed, required or permitted by law, statute, rule, regulation, contract or otherwise, in an amount not to exceed:

and the execution of all such instrument(s) in pursuance of these presents, shall be binding upon said PLANET INDEMNITY COMPANY as fully and amply, to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal office.

This Power of Attorney is executed, and may be cerified to and may be revoked, pursuant to and by authority of Article V, Section 6(C) of the By-Laws adopted by the Board of Directors of PLANET INDEMNITY COMPANY, at a meeting called and held on this third day of March, 1987, of which the following is a true transcript of said Section 6(C):

"The President or any Vice President, Assistant Vice President, Secretary or Resident Secretary shall have power and authority

- (1) To appoint Attorneys-in-fact, and to authorize them to execute on behalf of the Company, and attach the Seal of the Company thereto, bonds and undertakings, recognizances, contracts of indemnity and other writings obligatory in the nature thereof, and
- (2) to appoint special Attorneys-in-fact, who are hereby authorized to certify to copies of any power-of-attorney issued in pursuance of this section and/or any of the By-laws of the Company, and
- (3) to remove, at any time, any such Attorney-in-fact or Special Attorney-in-fact and revoke the authority given to him."

Further, this Power of Attorney is signed and sealed by facsimile pursuant to resolution of the Board of Directors of said Company adopted at a meeting duly called and held on the third day of March, 1987, of which the following is a true excerpt:

"Now therefore the signatures of such officers and the seal of the Company may be affixed to any such power of attorney or any certificate relating thereto by facsimile, and any such power of attorney or certificate bearing such facsimile signatures or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by facsimile signatures and facsimile seal shall be valid and binding upon the Company in the future with respect to any bond or undertaking to which it is attached."

IN TESTIMONY WHEREOF, PLANET INDEMNITY COMPANY has caused this instrument to be signed and its corporate seal to be affixed by its authorized officer, E. H. Frank, III, on this the twenty eighth day of August, 1991.

SEAL STATE

Presid

STATE OF COLORADO COUNTY OF DENVER

On this 28th Day of August, 1991, before me came the individual who executed the preceding instrument, to me personally known, and, being duly sworn, said that he is the therein described and authorized officer of PLANET INDEMNITY COMPANY; that the seal affixed to said instrument is the Corporate Seal of said Company; that the said Corporate Seal and his signature were duly affixed by order of the Board of Directors of said Company.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal, at the city of Denver, Colorado, the day

and year first above written.

Totally Tubic, Beliver Cou

Notary Public, Denver County, Colorado

CERTIFICATION

I, the undersigned officer of PLANET INDEMNITY COMPANY, do hereby certify that I have compared the foregoing copy of the Power of Attorney and affidavit, and the copy of the Section of the By-Laws of said Company as set forth in said Power of Attorney, and that the same are correct transcripts thereof, and of the whole of the said originals, and that the said Power of Attorney has not been revoked and is now in full force and effect.

IN TESTIMONY WHEREOF, I have hereunto set my hand this 23rdday of February 1994

Greg E. Chilson

Assistant Secretary

Only a certified copy of Power of Attorney bearing the Certificate of Authority No. printed in red on the upper right corner is binding. Photocopies, carbon copies or other reproductions of this document are invalid and not binding upon the Company.

ANY INSTRUMENT ISSUED IN EXCESS OF THE PENALTY AMOUNT STATED ABOVE IS TOTALLY VOID AND WITHOUT VALIDITY.

STATE OF UTAH

DIVISION OF OIL GAS AND MININ	G
DIVISION OF CILL CLIC VIII	5. Lease Designation and Serial Number: 14-20-H62- 3503
SUNDRY NOTICES AND REPORTS C	ON WELLS 8. # Indian, Allottee or Tribe Name: UTE TRIBAL
	7. Unit Apreement Name:
Do not use this form for proposals to drill new wells, deepen existing wells, or to reented. Use APPLICATION FOR PERSOTT TO DRILL OR DEEPEN form for sur	t plugged and abandoned week. th proposests. N/A
1. Type of Welt: OIL X GAS OTHER:	8. Well Name and Number: Ute Tribal 1-4
2 Name of Operator: PETROGLYPH OPERATING COMPANY,	INC. 43-013- 30762
1 Address and Telephone Number: 807, Hutchinson, KS 67504	316-665- In Field and Pool or Wildcat
A Landing of Mali	County: DUCHESNE
NE NE 4-T5S-R3W U.S.M.	State: UTAH
OQ, Sec.,T.,PL,M.:	
CUECK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT, OR OTHER DATA
	SUBSEQUENT REPORT
NOTICE OF INTENT (Submit in Duplicate)	(Submit Original Form Only)
	☐ Abandonment • ☐ New Construction
Dollar Aber Cooling	Casing Repair Pull or After Casing
	Change of Plans Shoot or Acidize
	Conversion to Injection Vent or Flare
	☐ Fracture Treat ☐ Water Shut-Off
D'Acture : Tom	Other
☐ Multiple Completion ☐ Water Shut-Off ☐ Other ☐ CHANGE OF OPERATOR	
OtherCHANGE Of Called	Date of work completion
of change 3-1-94 Approximate date workwithstark x	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.
Approximate dute visitetisses.	Must be accompanied by a cement verification report.
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and g vertical depths for all mericens and zones pertinent to this work.) 	
change of operator from Evertson	Oil Company, Inc. to
Petroglyph Operating Company, In	ic. effective 3-1-94
	- 1983 · 1
	SPARINIER
	MEGERAL
	and the second of the second o
· ·	
·	
	<u> </u>
PETROCEYPH OPERATING COMPANY, II	NC.
12	Title: President Dete: 2.25.97
Name & Signature: D A CHRISTENSEN	

STATE OF UTAH

DIVISION OF OIL GAS AND MININ	G	5. Lease Designation and Serial Number:
	•	14-20-Н62- 3503
SUNDRY NOTICES AND REPORTS C	ON WELLS	6. If Indian, Alictice or Tribe Name: UTE TRIBAL
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenset Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for sax	plugged and abandoned wells.	7. Unit Agreement Name: N/A
1. Type of Welt: OIL X GAS OTHER:		e Wed Name and Number: Ute Tribal 1-4
2 Name of Operator. EVERTSON OIL COMPANY, INC.		g. API Well Number: 43-013- 30762
P.O.Box 397, Kimball, NE 69145 308-235	-4871 -	Antelope Creek Field Green River Pool
Location of Well 1331'FNL & 1277'FEL		COUNTY: DUCHESNE
NE NE 4-T5S-R3W U.S.M.		sum: UTAH
THE APPROPRIATE BOYES TO INDICATE N	ATURE OF NOTICE, REPO	RT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQ	UENT REPORT http://www.nep.nep.nep.nep.nep.nep.nep.nep.nep.nep
Abandonment	☐ Abandonment ☐ Casing Repair ☐ Change of Plans ☐ Conversion to Injection ☐ Fracture Treat ☐ Other	☐ New Construction ☐ Pull or Alter Casing ☐ Shoot or Acidize ☐ Vent or Flare ☐ Water Shut-Off
of change 3-1-94 Approximate date violent in the second se	Date of work completion Report results of Multiple Completions a COMPLETION OR RECOMPLETION AND Must be accompanied by a cement verific	nd Recompletions to different reservoirs on WELL LOG form.
12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and go vertical depths for all markers and zones pertinent to this work.) change of operator from Evertson Oi Petroglyph Operating Company, Inc.	l Copmany, Inc. to	1, give subsurface locations and measured and true
12 EVERTSON ON COMPANY, INC.	Tre: V. Preside	Date: 2-25-9
Bruce F. Evertson-		

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

DESIGNATION OF AGENT OR OPERATOR
The undersigned is, on record, the holder of oil and gas lease
LEASE NAME: UTE TRIBAL
14-20-H62-3503 LEASE NUMBER:
and hereby designates
NAME: PETROGLYPH OPERATING COMPANY, INC.
ADDRESS: P.O.Box 1807, Hutchinson, KS 67504-1807
as his agent _/operator _3, with full authority to act in his behalf in complying with the terms of the lease and regulation: applicable thereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah with respect to:
Describe acreacy to which this designation is applicable, and identity each applicable oil and pas well by name and API number. Attach additional pages as needed.)
T5S-R3W, U.S.M. ALL SEC. 4 UTE 1-4, 43-013-30762; UTE 2-4SWD, 43-013-30879; UTE 3-4, 43-013-30878; UTE 4-4, 43-013-30848; UTE 6-4, 43-013-31100
DEGETVEN APR 7 Duchesne County, Utah NV. OF SIL, 263 3
It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the term of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease. In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rule
In case of default on the part of the designated agent operator, this rease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative. The lessee agrees to promptly notify the Division Director or Authorized Agent of any change in this designation.
The lessee agrees to promptly notify the bivision birector of violationary growing and the bivision birector of violationary growing and the bivision birector of violationary growing growing and the bivision birector of violationary growing growi
Effective Date of Designation: 3-1-94 PETROGLYPH GAS PARTNERS, L.P. PETROGLYPH ENERGY, INC., OF: (Company) BY PETROGLYPH ENERGY, INC.,
(Signature) Halut (Wiesalah (Address) P. O. BOX 1807
PRESIDENT OF PETROGLYPH ENERGY, Hutchinson, KS 67504-1807
INC. (Phone) 316-665-8500

STATE OF UTAH DIVISION OF OIL GAS AND MINING

DESIGNATION OF AGENT OR OPERATOR

DESIGNATION C.	
The undersigned is, on record, the holder of oil and gas le	ase
LEASE NAME: UTE TRIBAL	
LEASE NUMBER: 14-20-H62-3503	
and hereby designates	•
NAME: PETROGLYPH OPERATING COMPAN	Y, INC.
ADDRESS: P. O. BOX 1807, Hutchinson	, KS 67504-1807
the state and an unbarn the Division Director of A	is behalf in complying with the terms of the lease and regulations Authorized Agent may serve written or oral instructions in securing les and Procedural Rules of the Board of Oil, Gas and Mining of the
Describe acreage to which this designation is applicable, and identity each applicable oil and	gas well by name and API number. Attach additional pages as needed.)
T5S-R3W, U.S.M. ALL SEC. 4	3-013-30879; UTE 3-4, 43-013-30878; UTE 4-
Duchesne County, Utah	ADR 7
of the lease and the Oil and Gas Conservation General Ru State of Utah. It is also understood that this designation of in the lease.	s not relieve the lessee of responsibility for compliance with the terms les and Procedural Rules of the Board of Oil, Gas and Mining of the agent or operator does not constitute an assignment of any interest
In case of default on the part of the designated agent/ope lease terms or orders of the Board of Oil, Gas and Mining	rator, the lessee will make full and prompt compliance with all rules of the State of Utah or its authorized representative.
The lessee agrees to promptly notify the Division Director	or Authorized Agent of any change in this designation.
Effective Date of Designation: 3-1-94	
BY: (Name) KYLE R. MILLERY	OF: (Company) INLAND RESOURCES INC.
(Signature)	(Address) 475 Seventeenth St., Suite 1500
(Trile) President	Denver, CO 80202
(Phone) 303-292-0900	

LAW OFFICES OF

morris, laing, evans, brock & kennedy, chartered

FOURTH FLOOR, 200 WEST DOUGLAS, WICHITA, KANSAS 67202-3084 TELEPHONE (316) 262-2671 FAX: (316) 262-6226/262-5991

RALPH R. BROCK
JOSEPH W. KENNEDY
ROBERT I. GUENTHNER
DAVID C. ADAMS
KEN M. PETERSON
RICHARD D. GREENE
A. J. SCHWARTZ, JR.
DONALD E. SCHRAG
WILLIAM B. SORENSEN, JR.
DENNIS M. FEENEY

JEFFERY L. CARMICHAEL ROBERT W. COYKENDALL ROBERT K. ANDERSON SUSAN R. SCHRAG ROBERT E. NUGENT MICHAEL LENNEN KARL R. SWARTZ ROGER L. THEIS JANA DEINES ABBOTT RICHARD F. HAYSE* THOMAS R. DOCKING GERALD N. CAPPS DIANE S. WORTH TIM J. MOORE GARY E. PATTERSON BRUCE A. NEY JANET H. WARD

RESIDENT IN TOPEKA OFFICE ROBERT B. MORTON EVA POWERS OF COUNSEL

VERNE M. LAING

LESTER L. MORRIS 1901-1966 FERD E. EVANS, JR. 1919-1991

April 25, 1994

Ms. Lisha Cordoba
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Re: Petroglyph Gas Partners, L. P.

Dear Ms Cordoba:

Enclosed in triplicate per our recent conversations are Sundry Notices pertaining to the Ute Tribal 1-29, 2-5, 5-29E3, and #8 wells which were inadvertently initially overlooked in this transaction as follows:

- 1. Form 9 Sundry Notice executed by Evertson Oil Company showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;
- 2. Form 9 Sundry Notice executed by Petroglyph Gas Partners, L. P. showing the change in Operations from Evertson Oil Company to Petroglyph Operating Company;

I thank you for your continued assistance with this matter. Please do not hesitate to give me a call if you need anything further.

Sincerely,

Roger L. Theis For the Firm

RLT:mk

Enclosures

cc: Robert A. Christensen



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal District Office 170 South 500 East Vernal, Utah 84078-2799

11 REPLY REFER TO: 3162.3 (UT08438)

JUN 3 0 1994

Petroglyph Operating Company, Inc. P.O. Box 1839 Hutchinson, KS 67504-1839

Re: See attached list for the

well numbers and lease

numbers

Duchesne County, Utah

Gentlemen:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced wells. After a review by this office, the change in operator request is approved. Effective immediately, Petroglyph Operating Company, Inc., is responsible for all operations performed on the referenced wells. All liability will now fall under your bond, a \$75,000 BIA Collective Bond, for all operations conducted on the referenced wells on the leased land.

If you have any other questions concerning this matter, please contact Margie Herrmann or Pat Sutton of this office at (801) 789-1362.

Sincerely,

Howard B. Cleavinger II

Assistant District Manager for Minerals

cc:

Evertson Oil Company

BIA

Township 5 South, Range 3 West, USM

Township 5 South, Range 3 West, USM				
ease No.	Section No.	Well Name	Location	
4-20-H62-3502	3	Ute Tribal 1-3 Ute Tribal 2-3	SWSW SESW	
4-20-H62-3503	4	Ute Tribal 1-4 Ute Tribal 2-4 SWD Ute Tribal 3-4 Ute Tribal 4-4 Ute Tribal 6-4	NENE SWNE NESW SWSW SESW	
4-20-H62-3504	5	✓Ute Tribal 1-5 ✓Ute Tribal 2-5 ✓Ute Tribal 3-5 E3 ✓Ute Tribal 4-5	SWNE SWSW NWSE SENE	
.4-20-H62-3505	6	✓Ute Tribal 1-6* ✓Ute Tribal 3-6	SESE SENE	
.4-20-H62-3506	7	✓Ute Tribal 1-7* ✓Ute Tribal 2-7 ✓Ute Tribal 3-7	SESW NENE SENE	
14-20-H62-3507	8	✓ Ute Tribal 1-8 ✓ Ute Tribal 2-8 ✓ Ute Tribal 3-8 ✓ Ute Tribal 4-8 ✓ Ute Tribal 5-8	NWNW SWNW NENW NWSW SENW	
14-20-H62-3508	9	√Ute Tribal 2-9 √Ute Tribal 4-9	NENE SWSE	
14-20-H62-3509	10	√Ute Tribal 1-10 ✓Ute Tribal 2-10	NWNW NENW	
(*) = Lease No. incorrect on Sundry Notice submitted				

	Section		
Lease No.	No	<u>Well Name</u>	Location
14-20-H62-3510	15	✓Ute Tribal 1-15	WNW
14004600511	1.0	dus Taibal 3 16*	OFOF
14-20-H62-3511	16	✓ Ute Tribal 1-16* ✓ Ute Tribal 2-16	SESE SWSW
14-20-H62-4633	17	✓Ute Tribal 1-17*	NENE
14-20-H62-3513	18	√Ute Tribal 1-18	NENE
		∨Úte Tribal 2-18	SENE
		Ute Tribal 4-18	NWNE
•		✓ Ute Tribal 5-18	NESE
		·	
14-20-H62-3514	19	✓ Ute Tribal 1-19	SESE
1.4.00.1100.0515		∨Ute Tribal 1-20	NWNE
14-20-H62-3515	20	✓ute Tribal 2-20	SWNE
		✓ Ute Tribal 3-20*	SENW
		Ole Ilinai 3-20	SEIM
14-20-H62-3516	21	√Ute Tribal 1-21	SWSW
14-20-H62-3517	28	✓Ute Tribal 1-28	SWNW
14-20-H62-3518	29	√Ute Tribal 1-29	NESE
		✓Ute Tribal 2-29	SESE
		∨Ute Tribal 3-29	SENW
•		Ute Tribal 4-29	WWW
		∠tte Tribal 5-29E3	SWNE
		Ute Tribal 7-29-6-29	SENE
		✓ Ute Tribal 7-29	NESE
14-20-H62-3519	30	Ute Tribal 1-30	SWNE
14-20-H62-3520	31	√Úte Tribal 1-31*	NWNE
1-101102 0020		✓ Ute Tribal 2-31	NENW
14-20-H62-3521	32	Ute Tribal 1-32	SENE
		ri. T.H. 1100	AICARA!
14-20-H62-3522	33	✓Ute Tribal 1-33	NENW
I			•

Township 4 South, Range 4 West, USM

<u>ease No.</u>	Section No.	Well Name	Location
l4-20-H62-4446	3	√Úte Tribal 1-3D	SESE
L4-20-H62-4453	22	Ute Tribal 1-22D	NENW
14-20-H62-4454	10	√Úte Tribal 6-10D	SENE
L4-20-H62-4455	21	√Ute Tribal 1-21D	NENW
14-20-H62-4465	20	✓Ute Tribal 1-20D	NWNE
14-20-H62-4466	24	✓Ute Tribal 1-24D	WWW

Township 4 South, Range 4 West, USM

Lease No.	Section No.	Well Name	Location
F109-IND-5351	7	∨Ute Tribal 1-7D	SESE
, 105 5 0002	8	✓ Ute Tribal 2-8D	NWSE
	9	√Ute Tribal #1	NWSW
	10	✓Ute Tribal 1-10D	SWSE
	10	✓ Úte Tribal 2-10D	SWSW
	10	Ute Tribal 3-10D	SESW
	10	Ute Tribal 410D	NESE
	15	√Ute Tribal 1-15D	SWSW
	15	✓ Ute Tribal 2-15D	WWW
	16	√Ute Tribal #3	SENE
	16	✓Ute Tribal #5	SWNW
	16	✓Ute Tribal 6-16D	NENW
	16	Ute Tribal 7-16D	SENE
	- 16	√Ute Tribal #8	NWNW
	16	Ute Tribal 8-16D	NESE
	16	√t/te Tribal 14-16D	NENW
	17	∨Ute Tribal #6	SWNE
	17	√Úte Tribal #7	SWNW
	17	Ute Tribal 4-17D	NWSE
	18	✓ Ute Tribal 2-18D	NESE
	18	∠Ute Tribal 4-18D	NWNW

	on of Oil, Gas and Mining TOR CHANGE HORKSHEET	Routing!
	all documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2-LWP 7-PL 3-DF978-SJ 4-VLC-9-FILE
	nge of Operator (well sold) ☐ Designation of Agent ☐ Operator Name Change Only	5- RJF V 6- LWP
The op	perator of the well(s) listed below has changed (EFFECTIVE DATE: 2-1-94)
TO (ne	PETROGLYPH OPERATING CO. FROM (former operator) (address) HUTCHINSON, KS 67504-1839 ANGELA BARE phone (316) 665-8500 account no. N3800 FROM (former operator) (address) FROM (former operator) (address) FROM (former operator) (address) PO BOX 397 KIMBALL, N phone (308) account no.	E 69145
Hell(s) (attach additional page if needed):	
Name: Name: Name:	API: Entity: Sec Twp Rng	Lease Type:
OPERAT	OR CHANGE DOCUMENTATION	
Lec 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been receive operator (Attach to this form). (leg. 2-24-94) (lec'd 4-7-94)	ed from <u>former</u>
<u>Lec</u> 2.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received fr (Attach to this form). (Rule 12-18-94) (Rule R615-8-10)	om <u>new</u> operator
<u>Lič</u> 3.	The Department of Commerce has been contacted if the new operator above operating any wells in Utah. Is company registered with the state? (ye yes, show company file number: $\frac{\#Col80242}{Lol80242}$. (Af. 2-18-94)	s not currently s/no) If
,	(For Indian and Federal Hells ONLY) The BLM has been contacted regard (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and India changes should take place prior to completion of steps 5 through 9 below.	n well operator
Let 5.	Changes have been entered in the Oil and Gas Information System (Wang/IBM listed above. $(7-8-94)$) for each well
Like.	Cardex file has been updated for each well listed above. 7-11-94	
Zrif 7.	Well file labels have been updated for each well listed above. 7-11-94	
Lec 8.	Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. (2-6-94)	t Changes" memo
Lec 9.	A folder has been set up for the Operator Change file, and a copy of this placed there for reference during routing and processing of the original of	s page has been locuments.

- OVER -

OPERATOR	R CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEW
<u>Le</u> 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
<i>NA</i> 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VI	ERIFICATION (Fee wells only)
	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE]	INTEREST OHNER NOTIFICATION RESPONSIBILITY
(7 1 5	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
/p 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMINO	
_1/1.	All attachments to this form have been microfilmed. Date: July 39 1994.
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	rs
940706	Bhm/Vernal Apro. 6-30-94.
×	(1 St lease well handled Separately)

WE71/34-35

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF	5. Lease Designation and Serial No.	
SUNDRY NOTICES	S AND DEDODTS ON WELLS	14-20-Н62-3503
Do not use this form for proposals to d	6. If Indian, Allottee or Tribe Name Ute Indian Tribe	
SUBMI	not use this form for proposals to drill or to deepen or reentry to a different reservoir. SUBMIT IN TRIPLICATE	
1. Type of Well		14.00 7760 4670
2. Name of Operator		
Petroglyph Operating Company,	Inc.	
3. Address and Telephone No.		43-013-30762
6209 N. Highway 61 Hutchins	on, KS 67502 (316) 665-8500	10. Field and Pool, or Exploratory Area
·	• /	
4 3b-3 W		Duchesne County, U1
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
<u> </u>) ·	Г -1
XXX Subsequent Report		
	Casing Repair	Water Shut-Off
Final Abandonment Notice		Conversion to Injection
	XXX _{ther} well name change	
13 Describe Proposed on Completed Counting (Cl. 1		Completion or Recompletion Report and Log form)
give subsurface locations and measured and true vertice	al depths for all markers and zones pertinent to this work.)*	any proposed work. If well is directionally drilled,
numbering system, based on 40 acre location followed by the correct numb Petroglyph Operating Company, Inc.	locations, each well name will be changed to consist er of its well spot, based upon 16 wells per section. would like to notify by subsequent report that the abo	of its section
4. I hereby certify that the foregoing as true and correct		

President 1/25/96 Title Date (This space for Federal or State office use) Title Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

January 26, 1996

Ron Firth
State of Utah
Division of Oil, Gas & Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, UT 84180-1203

RE: Well Name Change for Wells in the Antelope Creek Field, Duchesne County, UT

Mr. Firth:

In an effort to bring all of the existing wells and wells to be drilled into a uniform numbering system, based on 40 acre locations and 16 wells per section, each well name will be changed to consist of its section location followed by the correct number of its well spot.

Enclosed please find sundry notices changing the well name for all wells located in Antelope Creek. We are making this change effective January 1, 1996. Also enclosed for your convenience is a list consisting of the "old" well names and the "new" well names.

Your assistance during this time of transition is greatly appreciated. If you have any questions regarding the enclosed information, please do not hesitate to contact me at (316) 665-8500.

Sincerely,

Angela R. Ely

Administrative Operations Manager

ARE/ms

Enclosures

pc:

Dennis Ingram

Lisha Cordova

96WELLÇ.XLS

						•					
AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	Footage	Field		1-2-		
14-20-H62-4650	14-20-H62-3509	Ute Tribal	1-10	10-12	43-013-30805	2001 FSL & 600 FWL		Town	Range	Sec	Qtr
14-20-H62-4650	14-20-H62-3510	Ute Tribal	1-15	15-04	43-013-30880	907 FNL & 515 FWL	Antelope Creek	58	3W		NWSW
14-20-H62-4650	14-20-H62-3511	Ute Tribal	1-16	16-16	43-013-30804	505 FSL & 600 FEL	Antelope Creek	5S	3W		NWNW
14-20-H62-4650	14-20-H62-4633	Ute Tribal	1-17	17-01	43-013-30790	638 FNL & 610 FEL	Antelope Creek	58	3W		SESE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	1-18	18-01	43-013-30761	550 FNL & 521 FEL	Antelope Creek	58	3W		NENE
14-20-H62-4650	14-20-H62-3514	Ute Tribal	1-19	19-16	43-013-30803	556 FSL & 603 FEL	Antelope Creek	5S	3W		NENE
14-20-H62-4650	14-20-H62-3515	Ute Tribal	1-20	20-02	43-013-30764	404 FNL & 1539 FEL	Antelope Creek	58	3W		SESE
14-20-H62-4650	14-20-H62-3516	Ute Tribal	1-21	21-13	43-013-30883	611 FSL & 786 FWL	Antelope Creek	58	3W		NWNE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	1-28	28-05	43-013-30802	2583 FNL & 712 FWL	Antelope Creek	58	3W		SWSW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	1-29 inj	29-09 ini	43-013-30763	1324 FSL & 1160 FEL	Antelope Creek	58	3W		SWNW
14-20-H62-4650	14-20-H62-3502	Ute Tribal	1-3	03-13	43-013-30823	659 FSL & 659 FWL	Antelope Creek	58	3W		NESE
14-20-H62-4650	14-20-H62-3519	Ute Tribal	1-30	30-07	43-013-30852	1980 FNL & 1980 FEL	Antelope Creek	58	3W		swsw
14-20-H62-4650	14-20-H62-3520	Ute Tribal	1-31	31-02	43-013-30827	519 FNL & 1942 FEL	Antelope Creek	58	3W	+	SWNE
14-20-H62-4650	14-20-H62-3521	Ute Tribal	1-32	32-08	43-013-30853	2100 FNL & 660 FEL	Antelope Creek	58	3W		NWNE
14-20-H62-4650	14-20-H62-3522	Ute Tribal	1-33	33-04	43-013-30806	723 FNL & 802 FWL	Antelope Creek	58	3W		SENE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	1-4	04-01	43-013-30762	1331 FNL & 1277 FEL	Antelope Creek	58	3W		NWNW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	1-5	05-07	43-013-30785	2430 FNL & 1777 FEL	Antelope Creek	58	3W		NENE
14-20-H62-4650	14-20-H62-3505	Ute Tribal	1-6	06-16	43-013-30793	833 FSL & 902 FEL	Antelope Creek	5S	3W		SWNE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	1-7	07-14	43-013-30788	559 FSL & 1957 FWL	Antelope Creek	58	3W		SESE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	1-8 inj	08-04 inj	43-013-30759	754 FNL & 888 FWL	Antelope Creek	58	3W		SESW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	11-5	05-09	43-013-31468	2150 FSL & 639 FEL	Antelope Creek	55	3W		NWNW
14-20-H62-4650	14-20-H62-3517	Ute Tribal	12-28	28-12	43-013-31529	1861 FSL & 496 FWL	Antelope Creek	5S	3W		NESE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	12-4	04-12	43-013-31470	2000 FSL & 600 FWL	Antelope Creek	58	3W		NWSW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	12-5	05-11	43-013-31454	1856 FSL & 1457 FWL	Antelope Creek	58	3W		NWSW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	13-8	08-13	43-013-31468	660 FSL & 660 FWL	Antelope Creek	5S	3W		NESW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	14-29	29-10	43-013-31475	1955 FSL & 2125 FEL	Antelope Creek	5S 5S	3W		swsw
14-20-H62-4650	14-20-H62-3504	Ute Tribal	14-5	05-14	43-013-31455	590 FSL & 1984 FWL	Antelope Creek	5S	3W		NWSE
14-20-H62-4650	14-20-H62-3518	Ute Tribal	15-29	29-15	43-013-31530	649 FSL & 1831 FEL	Antelope Creek		3W		SESW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	15-5	05-15	43-013-31461	990 FSL & 1900 FEL	Antelope Creek	5S 5S	3W		SWSE
14-20-H62-4650	14-20-H62-3504	Ute Tribal	16-5	05-16	43-013-31527	708 FSL & 523 FEL	Antelope Creek	5S	3W		SWSE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	16-7	07-16	43-013-31463	440 FSL & 410 FEL	Antelope Creek	5S	3W		SESE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	1A-8	08-01	43-013-31568	660 FSL & 660 FEL	Antelope Creek	55	3W		SESE
14-20-H62-4650	14-20-H62-3509	Ute Tribal	2-10	10-03	43-013-31187	600 FNL & 1650 FWL	Antelope Creek		3W		VENE
14-20-H62-4650	14-20-H62-3511	Ute Tribal	2-16	16-13	43-013-31166	750 FSL & 500 FWL	Antelope Creek	5S 5S	3W		NENW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	2-18	18-08	43-013-30881	1929 FNL & 612 FEL	Antelope Creek		3W		SWSW
14-20-H62-4650	14-20-H62-3515	Ute Tribal	2-20	20-07	43-013-30882	1980 FNL & 1980 FEL	Antelope Creek	5S 5S	3W	18 S	
14-20-H62-4650	14-20-H62-3518	Ute Tribal	2-29	29-16	43-013-30849	500 FSL & 500 FEL	Antelope Creek	1	3W		SWNE
14-20-H62-4650	14-20-H62-3502	Ute Tribal	2-3	03-14	43-013-31097	1050 FSL & 1980 FWL	Antelope Creek	5S 5S	3W	29 S	
14-20-H62-4650	14-20-H62-3520	Ute Tribal	2-31	31-03	43-013-31188	442 FNL & 2338 FWL	Antelope Creek		3W		SESW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	2-4 inj	04-07 inj	43-013-30879	2551 FNL & 1900 FEL	Antelope Creek	5S 5S	3W		NENW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	2-5	05-13	43-013-30824	723 FSL & 588 FWL	Antelope Creek		3W		SWNE
14-20-H62-4650		State	2-6	06-10	43-013-30891	2525 FSL & 1836 FEL	Antelope Creek	58	3W		SWSW
14-20-H62-4650	14-20-H62-3506	Ute Tribal	2-7	07-01	43-013-30825	567 FNL & 706 FEL	Antelope Creek	5S	3W		W SE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2-8	08-05	43-013-30826	1980 FNL & 500 FWL	Antelope Creek	55	3W		IENE
14-20-H62-4650	14-20-H62-3508	Ute Tribal	2-9	09-01	430-13-30789	770 FNL & 1059 FEL	Antelope Creek	55	3W		WNW
14-20-H62-4650	14-20-H62-3507	Ute Tribal	2A-8	08-02	43-013-31569	506 FNL & 1956 FEL	Antelope Creek		3W		IENE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	3-18	18-03	43-013-31528	614 FNL & 1983 FWL	Antelope Creek	5S	3W		IWNE
				· · · · · · · · · · · · · · · · · · ·		TOTAL TOTAL LAND	Antelope Creek	195	3W	18 N	ENW

Page 1
ae\data\opnw\ut\gen\TRANS.XLS
1/26/96 1:37 PM

96WELLC.XLS

AgrmtNbt	LeaseNbr	LeaseName	Old	New	API	T	T				
14-20-H62-4650	14-20-H62-3515	Ute Tribal	3-20	20-06	43-013-31175	Footage	Field	Town	Range	Sec	Qtr
14-20-H62-4650	14-20-H62-3518	Ute Tribal	3-29	29-06	43-013-31175	2050 FNL & 1950 FWL	Antelope Creek	58	3W	20	SENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	3-4	04-11	43-013-30850	1900 FNL & 1980 FWL	Antelope Creek	58	ЗW	29	SENW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	3-5 E3 ini	05-10 ini		1999 FSL & 1738 FWL	Antelope Creek	58	3W	4	NESW
14-20-H62-4650	14-20-H62-3505	Ute Tribal	3-6	06-08	43-013-30938	2068 FSL & 2093 FEL	Antelope Creek	58	ЗW	5	NWSE
14-20-H62-4650	14-20-H62-3506	Ute Tribal	3-7	07-08	43-013-31189	2323 FNL & 691 FEL Lot # 9	Antelope Creek	58	3W	6	SENE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	3-8	08-03	43-013-30828	1864 FNL & 972 FEL	Antelope Creek	58	зw	7	SENE
14-20-H62-4650	14-20-H62-4633	Ute Tribal	4-17	17-04	43-013-31101	505 FNL & 439 FWL	Antelope Creek	58	3W	8	NENW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	4-18 inj	17-04 18-02 ini	43-013-31464	697 FNL & 636 FWL	Antelope Creek	55	зw	17	NWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal	4-10 111	29-04	43-013-31099	812 FNL & 1768 FEL	Antelope Creek	58	3W		NWNE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4-25	04-13	43-013-30851	660 FNL & 660 FWL	Antelope Creek	5S	3W		NWNW
14-20-H62-4650	14-20-H62-3504	Ute Tribal	4-5	05-08	43-013-30848	807 FSL & 886 FWL	Antelope Creek	58	3W	+	swsw
14-20-H62-4650	14-20-H62-3507	Ute Tribal	4-8		43-013-31306	2500 FNL & 550 FEL	Antelope Creek	58	3W		SENE
14-20-H62-4650	14-20-H62-3508	Ute Tribal	4-9	08-12 09-15	43-013-31164	2100 FSL & 515 FWL	Antelope Creek	58	зw		NWSW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	4A-4		43-013-31165	550 FSL & 2000 FEL	Antelope Creek	58	3W		SWSE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	5-18 ini	04-04	43-013-31574	1205 FNL & 660 FWL Lot # 5	Antelope Creek	58	3W	40000	NWNN
14-20-H62-4650	14-20-H62-3518	Ute Tribal	5-18 inj	18-09 inj	43-013-31180	2151 FSL & 667 FEL	Antelope Creek	58	зw	+	NESE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	5-29 E3 5-4	29-07	43-013-30939	1969 FNL & 2093 FEL	Antelope Creek	58	3W		SWNE
14-20-H62-4650	14-20-H62-3507	Ute Tribal	5-8 ini	04-05	43-013-31462	1969 FNL & 660 FWL Lot # 12	Antelope Creek	58	зw	+	SWNW
14-20-H62-4650	14-20-H62-3518	Ute Tribal		08-06 inj	43-013-31307	1550 FNL & 1550 FWL	Antelope Creek	58	зw	·	SENW
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6-29	29-08A	43-013-31305	2600 FNL & 600 FEL	Antelope Creek	58	зw		SENE
14-20-H62-4650	14-20-H62-3503	Ute Tribal	6A-4	04-14	43-013-31100	660 FSL & 2000 FWL	Antelope Creek	58	зw		SESW
14-20-H62-4650	14-20-H62-3513	Ute Tribal	7-18	04-06	43-013-31526	2427 FNL & 2028 FWL Lot # 11	Antelope Creek	58	3W		SENW
14-20-H62-4650	14-20-H62-3518	Ute Tribal		18-07	43-013-31533	2236 FNL & 1855 FEL	Antelope Creek	55	зw		SWNE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	7-29	29-08B	43-013-31339	2675 FNL & 725 FEL	Antelope Creek	58	3W	-	NESE
14-20-H62-4650	14-20-H62-3513	Ute Tribal	11-28	28-11	43-013-31575	2171 FSL & 2107 FWL	Antelope Creek	5S	3W		NESE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	10-18	18-10	43-013-31595	1954 FSL & 1894 FEL	Antelope Creek	58	3W		NWSE
14-20-H62-4650	14-20-H62-3517	Ute Tribal	13-28	28-13	43-013-31576	712 FSL & 553 FWL	Antelope Creek	58	3W		swsw
14-20-H62-4650	14-20-H62-3521		6-28	28-06	43-013-31594		Antelope Creek	58	3W		SENW
	7-7-20 1102-3521	Ute Tribal	1A-32	32-01	43-013-31577	7EO CALL & COO CEL	Antelope Creek		3W		NENE

Page 2 ae\data\opnw\ut\gen\TRANS.XLS 1/26/96 1:37 PM